

DIAGNOSIS AND DEVELOPMENT OF SYMPTOMS

2014

- Galindo-Garre F, Hendriks SA, Volicer L, Smalbrugge M, Hertogh CM, van der Steen JT. The bedford Alzheimer nursing-severity scale to assess dementia severity in advanced dementia: a nonparametric item response analysis and a study of its psychometric characteristics. *Am J Alzheimers Dis Other Demen.* 2014 Feb;29(1):84-9
- Hermans K, De Almeida Mello J, Spruytte N, Cohen J, Van Audenhove C, Declercq A. A Comparative Analysis of Comprehensive Geriatric Assessments for Nursing Home Residents Receiving Palliative Care: A Systematic Review. *J Am Med Dir Assoc.* 2014 Feb 22.
- Hölttä EH, Laurila JV, Laakkonen ML, Strandberg TE, Tilvis RS, Pitkala KH. Precipitating factors of delirium: stress response to multiple triggers among patients with and without dementia. *Exp Gerontol.* 2014 Nov;59:42-6. doi: 10.1016/j.exger.2014.04.014.
- Johannessen A, Möller A, Haugen PK, Biong S. A shifting sense of being: a secondary analysis and comparison of two qualitative studies on young-onset dementia. *Int J Qual Stud Health Well-being.* 2014 Jul 11;9:24756.
- Jørgensen K, Kristensen MK, Waldemar G, Vogel A. The six-item Clock Drawing Test – reliability and validity in mild Alzheimer’s disease. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn.* 2014 Jun 30:1-11.
- Kaduszkiewicz H, Eisele M, Wiese B, Prokein J, Lupp M, Luck T, Jessen F, Bickel H, Mösch E, Pentzek M, Fuchs A, Eifflaender-Gorfer S, Weyerer S, König HH, Bretschneider C, van den Bussche H, Maier W, Scherer M, Riedel-Heller SG; Study on Aging, Cognition, and Dementia in Primary Care Patients (AgeCoDe) Study Group. Prognosis of mild cognitive impairment in general practice: results of the German AgeCoDe study. *Ann Fam Med.* 2014 Mar-Apr;12(2):158-65.

- Koller D1, Schön G, Schäfer I, Glaeske G, van den Bussche H, Hansen H. Multimorbidity and long-term care dependency-a five-year follow-up. *BMC Geriatr.* 2014 May 28;14:70. doi: 10.1186/1471-2318-14-70.
- van den Dungen P, van Kuijk L, van Marwijk H, van der Wouden J, Moll van Charante E, van der Horst H, van Hout H. Preferences regarding disclosure of a diagnosis of dementia: a systematic review. *Int Psychogeriatr.* 2014 Jun 16:1-16.
- Weerkamp NJ, Tissingh G, Poels PJ, Zuidema SU, Munneke M, Koopmans RT, Bloem BR. Diagnostic accuracy of Parkinson's disease and atypical parkinsonism in nursing homes. *Parkinsonism Relat Disord.* 2014 Nov;20(11):1157-60. doi: 10.1016/j.parkreldis.2014.07.017.

2013

- Bakker C, de Vugt ME, van Vliet D, Verhey FR, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT. The relationship between unmet care needs in young-onset dementia and the course of neuropsychiatric symptoms: a two-year follow-up study. *Int Psychogeriatr*. 2013 Sep 4:1-10.
- Caruana-Pulpan O, Scerri C. Practices in diagnosis, disclosure and pharmacotherapeutic management of dementia by general practitioners – a national survey. *Aging Ment Health*. 2013 Jul 22.
- Clare L, Whitaker CJ, Roberts JL, Nelis SM, Martyr A, Marková IS, Roth I, Woods RT, Morris RG. Memory Awareness Profiles Differentiate Mild Cognitive Impairment from Early-Stage Dementia: Evidence from Assessments of Performance Monitoring and Evaluative Judgement. *Dement Geriatr Cogn Disord*. 2013 Mar 27;35(5-6):266-279.
- de Vugt ME, Verhey FR. The impact of early dementia diagnosis and intervention on informal caregivers. *Prog Neurobiol*. 2013 Nov;110:54-62.
- Heser K, Tebarth F, Wiese B, Eisele M, Bickel H, Köhler M, Mösch E, Weyerer S, Werle J, König HH, Leicht H, Pentzek M, Fuchs A, Riedel-Heller SG, Lupp M, Prokein J, Scherer M, Maier W, Wagner M; Age CoDe Study Group. Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). *Psychol Med*. 2013 Aug;43(8):1597-610.
- Jessen F, Wolfsgruber S, Wiese B, Bickel H, Mösch E, Kaduszkiewicz H, Pentzek M, Riedel-Heller SG, Luck T, Fuchs A, Weyerer S, Werle J, van den Bussche H, Scherer M, Maier W, Wagner M; German Study on Aging, Cognition and Dementia in Primary Care Patients. AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. *Alzheimers Dement*. 2013 Jan 30.
- Liu Y, Mattila J, Ruiz MÁ, Paajanen T, Koikkalainen J, van Gils M, Herukka SK, Waldemar G, Lötjönen J, Soininen H; Alzheimer's Disease Neuroimaging Initiative. Predicting AD conversion: comparison between prodromal AD guidelines and computer assisted PredictAD tool. *PLoS One*. 2013;8(2):e55246.

- Manthorpe J, Samsi K, Campbell S, Abley C, Keady J, Bond J, Watts S, Robinson L, Warner J, Iliffe S. From forgetfulness to dementia: clinical and commissioning implications of diagnostic experiences. *Br J Gen Pract.* 2013 Jan;63(606):69-75.
- Noel-Storr AH, Flicker L, Ritchie CW, Nguyen GH, Gupta T, Wood P, Walton J, Desai M, Solomon DF, Molena E, Worrall R, Hayen A, Choudhary P, Ladds E, Lanctôt KL, Verhey FR, McCleery JM, Mead GE, Clare L, Fioravanti M, Hyde C, Marcus S, McShane R. Systematic review of the body of evidence for the use of biomarkers in the diagnosis of dementia. *Alzheimers Dement.* 2013 May;9(3):e96-e105.
- Samsi K, Abley C, Campbell S, Keady J, Manthorpe J, Robinson L, Watts S, Bond J. Negotiating a Labyrinth: experiences of assessment and diagnostic journey in cognitive impairment and dementia. *Int J Geriatr Psychiatry.* 2013 Apr 29.
- Savikko N, Pitkälä KH, Strandberg TE, Tilvis RS, Laurila JV. Diagnostic Agreement on Delirium Between the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition; International Classification of Diseases, Tenth Revision; Confusion Assessment Method (CAM); and the Five-Item CAM in Older Adults with Dementia. *J Am Geriatr Soc.* 2013 Apr;61(4):662-4.
- Siersma V, Waldemar G, Waldorff FB. Subjective memory complaints in primary care patients and death from all causes: a four-year follow-up. *Scand J Prim Health Care.* 2013 Mar;31(1):7-12.
- Varjassyová A, Hořínek D, Andel R, Amlerova J, Laczó J, Sheardová K, Magerová H, Holmerová I, Vyhnálek M, Bradáč O, Geda YE, Hort J. Recognition of facial emotional expression in amnesic mild cognitive impairment. *J Alzheimers Dis.* 2013;33(1):273-80.
- van Paasschen J, Clare L, Yuen KS, Woods RT, Evans SJ, Parkinson CH, Rugg MD, Linden DE. Cognitive rehabilitation changes memory-related brain activity in people with Alzheimer disease. *Neurorehabil Neural Repair.* 2013 Jun;27(5):448-59

- van Vliet D, de Vugt ME, Bakker C, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT, Verhey FR. Time to diagnosis in young-onset dementia as compared with late-onset dementia. *Psychol Med.* 2013 Feb;43(2):423-32.
- Vos SJ, van Rossum IA, Verhey F, Knol DL, Soininen H, Wahlund LO, Hampel H, Tsolaki M, Minthon L, Frisoni GB, Froelich L, Nobili F, van der Flier W, Blennow K, Wolz R, Scheltens P, Visser PJ. Prediction of Alzheimer disease in subjects with amnesic and nonamnesic MCI. *Neurology.* 2013 Mar 19;80(12):1124-32.

2012

- Bakker C, de Vugt ME, van Vliet D, Verhey FR, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT. Predictors of the Time to Institutionalization in Young- Versus Late-Onset Dementia: Results From the Needs in Young Onset Dementia (NeedYD) Study. *J Am Med Dir Assoc*. 2012 Nov 1.
- Beekmann M, van den Bussche H, Glaeske G, Hoffmann F. Geriatric morbidity patterns and need for long-term care in patients with dementia. *Psychiatr Prax*. 2012 Jul;39(5):222-7.
- Blessing A, Keil A, Gruss LF, Zöllig J, Dammann G, Martin M. Affective learning and psychophysiological reactivity in dementia patients. *Int J Alzheimers Dis*. 2012;2012:672927.
- Boorsma M, Joling KJ, Frijters DH, Ribbe ME, Nijpels G, van Hout HP. The prevalence, incidence and risk factors for delirium in Dutch nursing homes and residential care homes. *Int J Geriatr Psychiatry*. 2012 Jul;27(7):709-15.
- Caddell LS, Clare L. A profile of identity in early-stage dementia and a comparison with healthy older people. *Aging Ment Health*. 2012 Nov 21.
- de Vries K, Brooker DJ, Smith P. Dementia skills and competencies for primary care liaison: a model for improving identification and timely diagnosis. *Prim Health Care Res Dev*. 2012 Nov 6:1-10.
- Echávarri C, Burgmans S, Caballero MC, García-Bragado F, Verhey FR, Uylings HB. Co-occurrence of Different Pathologies in Dementia: Implications for Dementia Diagnosis. *J Alzheimers Dis*. 2012 Jan 1;30(4):909-17.
- Echávarri C, Burgmans S, Uylings H, Cuesta MJ, Peralta V, Kamphorst W, Rozemuller AJ, Verhey FR. Neuropsychiatric Symptoms in Alzheimer's Disease and Vascular Dementia. *J Alzheimers Dis*. 2012 Sep 21.
- Galluzzi S, Geroldi C, Amicucci G, Bocchio-Chiavetto L, Bonetti M, Bonvicini C, Cotelli M, Ghidoni R, Paghera B, Zanetti O, Frisoni GB; Translational Outpatient Memory Clinic Working Group. Supporting evidence for using biomarkers in the diagnosis of MCI due to AD. *J Neurol*. 2012 Oct 16

- Hölttä EH, Laakkonen ML, Laurila JV, Strandberg TE, Tilvis RS, Pitkälä KH. Apathy: prevalence, associated factors, and prognostic value among frail, older inpatients. *J Am Med Dir Assoc.* 2012 Jul;13(6):541-5.
- Iliffe S, Koch T, Jain P, Lefford F, Wong G, Warner A, Wilcock J. Developing an educational intervention on dementia diagnosis and management in primary care for the EVIDEM-ED trial. *Trials.* 2012 Aug 22;13:142.
- Jacobs HI, Gronenschild EH, Evers EA, Ramakers IH, Hofman PA, Backes WH, Jolles J, Verhey FR, Van Boxtel MP. Visuospatial processing in early Alzheimer's disease: A multimodal neuroimaging study. *Cortex.* 2012 Jan 26
- Jamour M, Becker C, Synofzik M, Maetzler W. Gait changes as an early indicator of dementia. *Z Gerontol Geriatr.* 2012 Jan;45(1):40-4.
- Jensen-Dahm C, Vogel A, Waldorff FB, Waldemar G. Discrepancy between self- and proxy-rated pain in Alzheimer's disease: results from the Danish Alzheimer Intervention Study. *J Am Geriatr Soc.* 2012 Jul;60(7)
- Karppinen H, Laakkonen ML, Strandberg TE, Tilvis RS, Pitkälä KH. Will-to-live and survival in a 10-year follow-up among older people. *Age Ageing.* 2012 Jul 4.
- Koller D, Kaduszkiewicz H, van den Bussche H, Eisele M, Wiese B, Glaeske G, Hoffmann F. Survival in patients with incident dementia compared with a control group: a five-year follow-up. *Int Psychogeriatr.* 2012 Mar 30:1-9
- Liepelt-Scarfone I, Jamour M, Maetzler W. Co-occurrence of parkinsonism and dementia in clinical practice: relevant differential diagnoses. *Z Gerontol Geriatr.* 2012 Jan;45(1):23-33.
- Luck T, Lupp M, Wiese B, Maier W, van den Bussche H, Eisele M, Jessen F, Weeg D, Weyerer S, Pentzek M, Leicht H, Koehler M, Tebarth F, Olbrich J, Eifflaender-Gorfer S, Fuchs A, Koenig HH, Riedel-Heller SG; for the AgeCoDe Study Group. Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment-Results From the German Study on Ageing, Cognition, and Dementia in Primary Care Patients. *Am J Geriatr Psychiatry.* 2012 Jun 14

- Martyr A, Clare L, Nelis SM, Marková IS, Roth I, Woods RT, Whitaker CJ, Morris RG. Verbal fluency and awareness of functional deficits in early-stage dementia. *Clin Neuropsychol*. 2012 Apr;26(3):501-19. Epub 2012 Mar 7.
- Martyr A, Clare L. Executive function and activities of daily living in Alzheimer's disease: a correlational meta-analysis. *Dement Geriatr Cogn Disord*. 2012;33(2-3):189-203.
- Mattila J, Soininen H, Koikkalainen J, Rueckert D, Wolz R, Waldemar G, Lötjönen J. Optimizing the Diagnosis of Early Alzheimer's Disease in Mild Cognitive Impairment Subjects. *J Alzheimers Dis*. 2012 Aug 13
- Moore V, Cahill S. Diagnosis and disclosure of dementia – A comparative qualitative study of Irish and Swedish General Practitioners. *Aging Ment Health*. 2012 Jun 12.
- Parker S, Clarke C, Moniz-Cook E, Gardiner E. The influence of 'cognitive busyness' on causal attributions of challenging behaviour in dementia: A preliminary experimental study. *Aging Ment Health*. 2012 Jun 7
- Roberts JL, Clare L. Meta-representational awareness in mild cognitive impairment: An interpretative phenomenological analysis. *Aging Ment Health*. 2012 Oct 16
- Schefter M, Werheid K, Almkvist O, Lönnqvist-Akenine U, Kathmann N, Winblad B. Recognition memory for emotional faces in amnesic mild cognitive impairment: An event-related potential study. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn*. 2012 Mar 22
- Simonsen AH, Mattila J, Hejl AM, Frederiksen KS, Herukka SK, Hallikainen M, van Gils M, Lötjönen J, Soininen H, Waldemar G. Application of the PredictAD software tool to predict progression in patients with mild cognitive impairment. *Dement Geriatr Cogn Disord*. 2012;34(5-6):344-50
- Teramura-Grönblad M, Bell JS, Pöysti MM, Strandberg TE, Laurila JV, Tilvis RS, Soini H, Pitkälä KH. Risk of Death Associated With Use of PPIs in Three Cohorts of Institutionalized Older People in Finland. *J Am Med Dir Assoc*. 2012 Jun;13(5):488

- Tosato M, Lukas A, van der Roest HG, Danese P, Antocicco M, Finne-Soveri H, Nikolaus T, Landi F, Bernabei R, Onder G. Association of pain with behavioral and psychiatric symptoms among nursing home residents with cognitive impairment: results from the SHELTER study. *Pain*. 2012 Feb;153(2):305-10.
- van Vliet D, de Vugt ME, Bakker C, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT, Verhey FR. Time to diagnosis in young-onset dementia as compared with late-onset dementia. *Psychol Med*. 2012 May 28:1-10
- van Vliet D, de Vugt ME, Aalten P, Bakker C, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT, Verhey FR. Prevalence of Neuropsychiatric Symptoms in Young-Onset Compared to Late-Onset Alzheimer's Disease – Part 1: Findings of the Two-Year Longitudinal NeedYD-Study. *Dement Geriatr Cogn Disord*. 2012 Dec 3;34(5-6):319-327
- van Vliet D, de Vugt ME, Köhler S, Aalten P, Bakker C, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT, Verhey FR. Awareness and Its Association With Affective Symptoms in Young-onset and Late-onset Alzheimer Disease: A Prospective Study. *Alzheimer Dis Assoc Disord*. 2012 Sep 18
- Varjassyová A, Hořínek D, Andel R, Amlerova J, Laczó J, Sheardová K, Magerová H, Holmerová I, Vyhnálek M, Bradáč O, Geda YE, Hort J. Recognition of Facial Emotional Expression in Amnesic Mild Cognitive Impairment. *J Alzheimers Dis*. 2012 Sep 6
- Vermandere M, Decloedt P, De Lepeleire J. Care diagnosis for demented patients living at home. A new concept? *Tijdschr Gerontol Geriatr*. 2012 Feb;43(1):25
- Waldorff FB, Siersma V, Vogel A, Waldemar G. Subjective memory complaints in general practice predicts future dementia: a 4-year follow-up study. *Int J Geriatr Psychiatry*. 2012 Jan 17

2011

- Borroni B, Alberici A, Grassi M, Rozzini L, Turla M, Zanetti O, et al. Prevalence and Demographic Features of Early-Onset Neurodegenerative Dementia in Brescia County, Italy. *Alzheimer Dis Assoc Disord* 2011 Mar 10.
- Bublak P, Redel P, Sorg C, Kurz A, Forstl H, Muller HJ, et al. Staged decline of visual processing capacity in mild cognitive impairment and Alzheimer's disease. *Neurobiol Aging* 2011 Jul;32(7):1219-30.
- Buntinx F, De LJ, Paquay L, Iliffe S, Schoenmakers B. Diagnosing dementia: no easy job. *BMC Fam Pract* 2011;12:60.
- Clare L, Markova IS, Roth I, Morris RG. Awareness in Alzheimer's disease and associated dementias: theoretical framework and clinical implications. *Aging Ment Health* 2011 Jun 27.
- Clare L, Nelis SM, Martyr A, Whitaker CJ, Markova IS, Roth I, et al. Longitudinal Trajectories of Awareness in Early-stage Dementia. *Alzheimer Dis Assoc Disord* 2011 Sep 7.
- Clare L, Whitaker CJ, Nelis SM, Martyr A, Markova IS, Roth I, et al. Multidimensional assessment of awareness in early-stage dementia: a cluster analytic approach. *Dement Geriatr Cogn Disord* 2011;31(5):317-27.
- Drijgers RL, Verhey FR, Leentjens AF, Kohler S, Aalten P. Neuropsychological correlates of apathy in mild cognitive impairment and Alzheimer's disease: the role of executive functioning. *Int Psychogeriatr* 2011 Oct;23(8):1327-33.
- Gertz HJ, Kurz A. [Diagnosis without therapy : Early diagnosis of Alzheimer's disease in the stage of mild cognitive impairment]. *Nervenarzt* 2011 Sep;82(9):1151-9.
- Hansen ML, Waldorff FB, Waldemar G. Prognostic factors for weight loss over 1-year period in patients recently diagnosed with mild Alzheimer Disease. *Alzheimer Dis Assoc Disord* 2011 Jul;25(3):269-75.

- Hobbelen JS, Tan FE, Verhey FR, Koopmans RT, de Bie RA. Prevalence, incidence and risk factors of paratonia in patients with dementia: a one-year follow-up study. *Int Psychogeriatr* 2011 Sep;23(7):1051-60.
- Kohler S, van BM, Jolles J, Verhey F. Depressive symptoms and risk for dementia: a 9-year follow-up of the maastricht aging study. *Am J Geriatr Psychiatry* 2011 Oct;19(10):902-5.
- Keady J. Alzheimer's or the normal course of ageing? *Br J Nurs* 2011 Jun 24;20(12):726.
- Koch T, Iliffe S. Dementia diagnosis and management: a narrative review of changing practice. *Br J Gen Pract* 2011 Aug;61(589):e513-e525.
- Nelis SM, Clare L, Martyr A, Markova I, Roth I, Woods RT, et al. Awareness of social and emotional functioning in people with early-stage dementia, and implications for carers. *Aging Ment Health* 2011 Jul 4.
- Robinson L, Gemski A, Abley C, Bond J, Keady J, Campbell S, et al. The transition to dementia—individual and family experiences of receiving a diagnosis: a review. *Int Psychogeriatr* 2011 Sep;23(7):1026-43.
- Volkens KM, Scherder EJ. Impoverished environment, cognition, aging and dementia. *Rev Neurosci* 2011;22(3):259-66.
- Werheid K, McDonald RS, Simmons-Stern N, Ally BA, Budson AE. Familiar smiling faces in Alzheimer's disease: understanding the positivity-related recognition bias. *Neuropsychologia* 2011 Aug;49(10):2935-40.
- Zuidema X, Tromp Meesters RC, Siccama I, Houweling PL. Computerized model for preoperative risk assessment. *Br J Anaesth* 2011 Aug;107(2):180-5.

PREVIOUS YEARS

- Aalten P, van VE, de Vugt ME, Lousberg R, Jolles J, Verhey FR. Awareness and behavioral problems in dementia patients: a prospective study. *Int Psychogeriatr* 2006 Mar;18(1):3-17.
- Aalten P, Jolles J, de Vugt ME, Verhey FR. The influence of neuropsychological functioning on neuropsychiatric problems in dementia. *J Neuropsychiatry Clin Neurosci* 2007;19(1):50-6.
- Aalten P, Verhey FR, Boziki M, Bullock R, Byrne EJ, Camus V, et al. Neuropsychiatric syndromes in dementia. Results from the European Alzheimer Disease Consortium: part I. *Dement Geriatr Cogn Disord* 2007;24(6):457-63.
- Aalten P, Verhey FR, Boziki M, Brugnolo A, Bullock R, Byrne EJ, et al. Consistency of neuropsychiatric syndromes across dementias: results from the European Alzheimer Disease Consortium. Part II. *Dement Geriatr Cogn Disord* 2008;25(1):1-8.
- Achterberg WP, Scherder E, Pot AM, Ribbe MW. Cardiovascular risk factors in cognitively impaired nursing home patients: a relationship with pain? *Eur J Pain* 2007 Aug;11(6):707-10.
- Ahmad S, Orrell M, Iliffe S, Gracie A. GPs' attitudes, awareness, and practice regarding early diagnosis of dementia. *Br J Gen Pract* 2010 Sep;60(578):e360-e365.
- Alexopoulos P, Grimmer T, Pernecky R, Domes G, Kurz A. Progression to dementia in clinical subtypes of mild cognitive impairment. *Dement Geriatr Cogn Disord* 2006;22(1):27-34.
- Alexopoulos P, Grimmer T, Pernecky R, Domes G, Kurz A. Do all patients with mild cognitive impairment progress to dementia? *J Am Geriatr Soc* 2006 Jun;54(6):1008-10.
- Baars MA, van Boxtel MP, Dijkstra JB, Visser PJ, van den AM, Verhey FR, et al. Predictive value of mild cognitive impairment for dementia. The influence of case definition and age. *Dement Geriatr Cogn Disord* 2009;27(2):173-81.

- Baller M, Boorsma M, Frijters DH, van Marwijk HW, Nijpels G, van Hout HP. Depression in Dutch homes for the elderly: under-diagnosis in demented residents? *Int J Geriatr Psychiatry* 2010 Jul;25(7):712-8.
- Bamford C, Eccles M, Steen N, Robinson L. Can primary care record review facilitate earlier diagnosis of dementia? *Fam Pract* 2007 Apr;24(2):108-16.
- Bickel H, Kurz A. Education, occupation, and dementia: the Bavarian school sisters study. *Dement Geriatr Cogn Disord* 2009;27(6):548-56.
- Blessing A, Zoellig J, Dammann G, Martin M. Implicit learning of affective responses in dementia patients: a face-emotion-association paradigm. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn* 2010 Nov;17(6):633-47.
- Burns A, Iliffe S. Alzheimer's disease. *BMJ* 2009;338:b158.
- Cahill S, Clark M, Walsh C, O'Connell H, Lawlor B. Dementia in primary care: the first survey of Irish general practitioners. *Int J Geriatr Psychiatry* 2006 Apr;21(4):319-24.
- Cahill S, Clark M, O'Connell H, Lawlor B, Coen RF, Walsh C. The attitudes and practices of general practitioners regarding dementia diagnosis in Ireland. *Int J Geriatr Psychiatry* 2008 Jul;23(7):663-9.
- Cahill S, az-Ponce AM, Coen RF, Walsh C. The underdetection of cognitive impairment in nursing homes in the Dublin area. The need for on-going cognitive assessment. *Age Ageing* 2010 Jan;39(1):128-31.
- Clare L, Whitaker CJ, Nelis SM. Appraisal of memory functioning and memory performance in healthy ageing and early-stage Alzheimer's disease. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn* 2010;17(4):462-91.
- Clare L. Awareness in people with severe dementia: review and integration. *Aging Ment Health* 2010 Jan;14(1):20-32.
- Collerton J, Davies K, Jagger C, Kingston A, Bond J, Eccles MP, et al. Health and disease in 85 year olds: baseline findings from the Newcastle 85+ cohort study. *BMJ* 2009;339:b4904.
- De LJ, Wind AW, Iliffe S, Moniz-Cook ED, Wilcock J, Gonzalez VM, et al. The primary care diagnosis of dementia in Europe: an analysis using

- multidisciplinary, multinational expert groups. *Aging Ment Health* 2008 Sep;12(5):568-76.
- Derksen E, Vernooij-Dassen M, Gillissen F, Olde RM, Scheltens P. Impact of diagnostic disclosure in dementia on patients and carers: qualitative case series analysis. *Aging Ment Health* 2006 Sep;10(5):525-31.
 - Druks J, Masterson J, Kopelman M, Clare L, Rose A, Rai G. Is action naming better preserved (than object naming) in Alzheimer's disease and why should we ask? *Brain Lang* 2006 Sep;98(3):332-40.
 - Dunn J, Clare L. Learning face-name associations in early-stage dementia: comparing the effects of errorless learning and effortful processing. *Neuropsychol Rehabil* 2007 Dec;17(6):735-54.
 - Eggermont LH, Blankevoort CG, Scherder EJ. Walking and night-time restlessness in mild-to-moderate dementia: a randomized controlled trial. *Age Ageing* 2010 Nov;39(6):746-9.
 - Eggermont LH, Gavett BE, Volkers KM, Blankevoort CG, Scherder EJ, Jefferson AL, et al. Lower-extremity function in cognitively healthy aging, mild cognitive impairment, and Alzheimer's disease. *Arch Phys Med Rehabil* 2010 Apr;91(4):584-8.
 - Hobbelen JS, Koopmans RT, Verhey FR, Habraken KM, de Bie RA. Diagnosing paratonia in the demented elderly: reliability and validity of the Paratonia Assessment Instrument (PAI). *Int Psychogeriatr* 2008 Aug;20(4):840-52.
 - Iliffe S, Robinson L, Brayne C, Goodman C, Rait G, Manthorpe J, et al. Primary care and dementia: 1. diagnosis, screening and disclosure. *Int J Geriatr Psychiatry* 2009 Sep;24(9):895-901.
 - Jansen AP, van Hout HP, Nijpels G, van Marwijk HW, de Vet HC, Stalman WA. Yield of a new method to detect cognitive impairment in general practice. *Int J Geriatr Psychiatry* 2007 Jun;22(6):590-7.
 - Kat MG, Zuidema SU, van der PT, Kalisvaart KJ, van Gool WA, Eikelenboom P, et al. Reasons for psychiatric consultation referrals in Dutch nursing home

- patients with dementia: a comparison with normative data on prevalence of neuropsychiatric symptoms. *Int J Geriatr Psychiatry* 2008 Oct;23(10):1014-9.
- Koch T, Iliffe S. Rapid appraisal of barriers to the diagnosis and management of patients with dementia in primary care: a systematic review. *BMC Fam Pract* 2010;11:52.
 - Kohler S, van Boxtel MP, van OJ, Thomas AJ, O'Brien JT, Jolles J, et al. Depressive symptoms and cognitive decline in community-dwelling older adults. *J Am Geriatr Soc* 2010 May;58(5):873-9.
 - Koopmans RT, Zuidema SU, Leontjevas R, Gerritsen DL. Comprehensive assessment of depression and behavioral problems in long-term care. *Int Psychogeriatr* 2010 Nov;22(7):1054-62.
 - Laakkonen ML, Raivio MM, Eloniemi-Sulkava U, Tilvis RS, Pitkala KH, Pitkala KH. Disclosure of dementia diagnosis and the need for advance care planning in individuals with Alzheimer's disease. *J Am Geriatr Soc* 2008 Nov;56(11):2156-7.
 - Laakkonen ML, Raivio MM, Eloniemi-Sulkava U, Saarenheimo M, Pietila M, Tilvis RS, et al. How do elderly spouse care givers of people with Alzheimer disease experience the disclosure of dementia diagnosis and subsequent care? *J Med Ethics* 2008 Jun;34(6):427-30.
 - Manthorpe J, Iliffe S. Depression and dementia: taking a dual diagnosis approach. *Nurs Older People* 2006 Mar;18(2):24-8.
 - Masterson J, Druks J, Kopelman M, Clare L, Garley C, Hayes M. Selective naming (and comprehension) deficits in Alzheimer's disease? *Cortex* 2007 Oct;43(7):921-34.
 - Meiland FJ, Kat MG, van Tilburg W, Jonker C, Dröes RM. The Emotional Impact of Psychiatric Symptoms in Dementia on Partner Caregivers: Do Caregiver, Patient, and Situation Characteristics Make a Difference? *Alzheimer Dis Assoc Disord*. 2005;19(4):195-201.
 - Olde Rikkert MG, van der Flier WM, de Leeuw FE, Verbeek M, Jansen RW, Verhey F, et al. Multiple diagnostic tests are needed to assess multiple causes of dementia. *Arch Neurol* 2006 Jan;63(1):144-6.

- Ownsworth T, Clare L, Morris R. An integrated biopsychosocial approach to understanding awareness deficits in Alzheimer's disease and brain injury. *Neuropsychol Rehabil* 2006 Aug;16(4):415-38.
- Perneczky R, Pohl C, Sorg C, Hartmann J, Komossa K, Alexopoulos P, et al. Complex activities of daily living in mild cognitive impairment: conceptual and diagnostic issues. *Age Ageing* 2006 May;35(3):240-5.
- Perneczky R, Kurz A. [Diagnosis and therapy of Alzheimer's disease: what's important for the family doctor?]. *MMW Fortschr Med* 2008 Dec 4;150(49-50):42-5.
- Perneczky R, Wagenpfeil S, Lunetta KL, Cupples LA, Green RC, DeCarli C, et al. Education attenuates the effect of medial temporal lobe atrophy on cognitive function in Alzheimer's disease: the MIRAGE study. *J Alzheimers Dis* 2009;17(4):855-62.
- Perneczky R, Alexopoulos P, Schmid G, Sorg C, Forstl H, ehl-Schmid J, et al. [Cognitive reserve and its relevance for the prevention and diagnosis of dementia]. *Nervenarzt* 2011 Mar;82(3):325-35.
- Petrovic M, Hurt C, Collins D, Burns A, Camus V, Liperoti R, et al. Clustering of behavioural and psychological symptoms in dementia (BPSD): a European Alzheimer's disease consortium (EADC) study. *Acta Clin Belg* 2007 Nov;62(6):426-32.
- Quin RC, Clare L, Ryan P, Jackson M. 'Not of this world': the subjective experience of late-onset psychosis. *Aging Ment Health* 2009 Nov;13(6):779-87.
- Rait G, Walters K, Bottomley C, Petersen I, Iliffe S, Nazareth I. Survival of people with clinical diagnosis of dementia in primary care: cohort study. *BMJ* 2010;341:c3584.
- Ramakers IH, Visser PJ, Aalten P, Boesten JH, Metsemakers JF, Jolles J, et al. Symptoms of preclinical dementia in general practice up to five years before dementia diagnosis. *Dement Geriatr Cogn Disord* 2007;24(4):300-6.
- Ramakers IH, Visser PJ, Bittermann AJ, Ponds RW, van Boxtel MP, Verhey FR. Characteristics of help-seeking behaviour in subjects with subjective memory

- complaints at a memory clinic: a case-control study. *Int J Geriatr Psychiatry* 2009 Feb;24(2):190-6.
- Ramakers IH, Visser PJ, Aalten P, Kester A, Jolles J, Verhey FR. Affective symptoms as predictors of Alzheimer's disease in subjects with mild cognitive impairment: a 10-year follow-up study. *Psychol Med* 2010 Jul;40(7):1193-201.
 - Roach P, Keady J. Younger people with dementia: time for fair play. *Br J Nurs* 2008 Jun;17(11):690.
 - Robert P, Verhey FR, Aalten P, Cortes F, Byrne EJ. Neuropsychiatric outcome for clinical trials. *J Nutr Health Aging* 2007 Jul;11(4):345-7.
 - Robert P, Onyike CU, Leentjens AF, Dujardin K, Aalten P, Starkstein S, et al. Proposed diagnostic criteria for apathy in Alzheimer's disease and other neuropsychiatric disorders. *Eur Psychiatry* 2009 Mar;24(2):98-104.
 - Roberts JL, Clare L, Woods RT. Subjective memory complaints and awareness of memory functioning in mild cognitive impairment: a systematic review. *Dement Geriatr Cogn Disord* 2009;28(2):95-109.
 - Robinson L, Brayne C, Iliffe S. TYM and Alzheimer's disease. More testing needed. *BMJ* 2009;339:b2825.
 - Rossi R, Geroldi C, Bresciani L, Testa C, Binetti G, Zanetti O, et al. Clinical and neuropsychological features associated with structural imaging patterns in patients with mild cognitive impairment. *Dement Geriatr Cogn Disord* 2007;23(3):175-83.
 - Scherder E, Eggermont L, Sergeant J, Boersma F. Physical activity and cognition in Alzheimer's disease: relationship to vascular risk factors, executive functions and gait. *Rev Neurosci* 2007;18(2):149-58.
 - Scherder E, Eggermont L, Swaab D, van HM, Kamsma Y, de GM, et al. Gait in ageing and associated dementias; its relationship with cognition. *Neurosci Biobehav Rev* 2007;31(4):485-97.
 - Strandberg TE, Pitkala KH, Tilvis RS. Predictors of mortality in home-dwelling patients with cardiovascular disease aged 75 and older. *J Am Geriatr Soc* 2009 Feb;57(2):279-84.

- van Hout HP, Vernooij-Dassen MJ, Jansen DA, Stalman WA. Do general practitioners disclose correct information to their patients suspected of dementia and their caregivers? A prospective observational study. *Aging Ment Health* 2006 Mar;10(2):151-5.
- van Hout HP, Vernooij-Dassen MJ, Stalman WA. Diagnosing dementia with confidence by GPs. *Fam Pract* 2007 Dec;24(6):616-21.
- Verhey F. Recommendations concerning neuropsychiatric symptoms assessment. *J Nutr Health Aging* 2006 Mar;10(2):134-5.
- Vernooij-Dassen MJ, Moniz-Cook ED, Woods RT, De Lepeleire J, Leuschner A, Zanetti O, de Rotrou J, Kenny G, Franco M, Peters V, Iliffe S. Factors affecting timely recognition and diagnosis of dementia across Europe: from awareness to stigma. *Int J Geriatr Psychiatry*. 2005 Apr;20(4):377-86.
- Visser PJ, Kester A, Jolles J, Verhey F. Ten-year risk of dementia in subjects with mild cognitive impairment. *Neurology* 2006 Oct 10;67(7):1201-7.
- Visser PJ, Verhey FR, Boada M, Bullock R, De Deyn PP, Frisoni GB, et al. Development of screening guidelines and clinical criteria for predementia Alzheimer's disease. The DESCRIPA Study. *Neuroepidemiology* 2008;30(4):254-65.
- Visser PJ, Verhey FR. Mild cognitive impairment as predictor for Alzheimer's disease in clinical practice: effect of age and diagnostic criteria. *Psychol Med* 2008 Jan;38(1):113-22.
- Visser PJ, Verhey F, Knol DL, Scheltens P, Wahlund LO, Freund-Levi Y, et al. Prevalence and prognostic value of CSF markers of Alzheimer's disease pathology in patients with subjective cognitive impairment or mild cognitive impairment in the DESCRIPA study: a prospective cohort study. *Lancet Neurol* 2009 Jul;8(7):619-27.
- Vogel A, Waldorff FB, Waldemar G. Impaired awareness of deficits and neuropsychiatric symptoms in early Alzheimer's disease: the Danish Alzheimer Intervention Study (DAISY). *J Neuropsychiatry Clin Neurosci* 2010;22(1):93-9.

- Waldemar G, Dubois B, Emre M, Georges J, McKeith IG, Rossor M, et al. Recommendations for the diagnosis and management of Alzheimer's disease and other disorders associated with dementia: EFNS guideline. *Eur J Neurol* 2007 Jan;14(1):e1-26.
- Waldorff FB, Andersen BB. [The elderly male patient with tendency to accidental falls and memory problems]. *Ugeskr Laeger* 2007 May 21;169(21):2008.
- Werheid K, Clare L. Are faces special in Alzheimer's disease? Cognitive conceptualisation, neural correlates, and diagnostic relevance of impaired memory for faces and names. *Cortex* 2007 Oct;43(7):898-906.
- Wetzels R, Zuidema S, Jansen I, Verhey F, Koopmans R. Course of neuropsychiatric symptoms in residents with dementia in long-term care institutions: a systematic review. *Int Psychogeriatr* 2010 Nov;22(7):1040-53.
- Wetzels RB, Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Course of neuropsychiatric symptoms in residents with dementia in nursing homes over 2-year period. *Am J Geriatr Psychiatry* 2010 Dec;18(12):1054-65.
- Wolfs CA, Dirksen CD, Severens JL, Verhey FR. The added value of a multidisciplinary approach in diagnosing dementia: a review. *Int J Geriatr Psychiatry* 2006 Mar;21(3):223-32.
- Wolfs CA, Kessels A, Dirksen CD, Severens JL, Verhey FR. Integrated multidisciplinary diagnostic approach for dementia care: randomised controlled trial. *Br J Psychiatry* 2008 Apr;192(4):300-5.
- Wolfs CA, Dirksen CD, Kessels A, Severens JL, Verhey FR. Economic evaluation of an integrated diagnostic approach for psychogeriatric patients: results of a randomized controlled trial. *Arch Gen Psychiatry* 2009 Mar;66(3):313-23.
- Zanetti O, Solerte SB, Cantoni F. Life expectancy in Alzheimer's disease (AD). *Arch Gerontol Geriatr* 2009;49 Suppl 1:237-43.
- Zuidema S, Koopmans R, Verhey F. Prevalence and predictors of neuropsychiatric symptoms in cognitively impaired nursing home patients. *J Geriatr Psychiatry Neurol* 2007 Mar;20(1):41-9.

- Zuidema SU, van der Meer MM, Pennings GA, Koopmans RT. [Prevalence of behavioural problems in a group of demented nursing home patients]. *Tijdschr Gerontol Geriatr* 2006 Mar;37(1):19-24.
- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Neuropsychiatric symptoms in nursing home patients: factor structure invariance of the Dutch nursing home version of the neuropsychiatric inventory in different stages of dementia. *Dement Geriatr Cogn Disord* 2007;24(3):169-76.
- Zuidema SU, Derksen E, Verhey FR, Koopmans RT. Prevalence of neuropsychiatric symptoms in a large sample of Dutch nursing home patients with dementia. *Int J Geriatr Psychiatry* 2007 Jul;22(7):632-8.
- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Predictors of neuropsychiatric symptoms in nursing home patients: influence of gender and dementia severity. *Int J Geriatr Psychiatry* 2009 Oct;24(10):1079-86.
- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Environmental correlates of neuropsychiatric symptoms in nursing home patients with dementia. *Int J Geriatr Psychiatry* 2010 Jan;25(1):14-22.