

OBSERVATIONAL STUDY: ANALYTIC

2014

- Cahill S, Pierce M, Moore V. A national survey of memory clinics in the Republic of Ireland. *Int Psychogeriatr.* 2014 Apr;26(4):605-13. Woods RT, Nelis SM, Martyr A, Roberts J, Whitaker CJ, Markova I, Roth I, Morris R, Clare L. What contributes to a good quality of life in early dementia? awareness and the QoL-AD: a cross-sectional study. *Health Qual Life Outcomes.* 2014 Jun 11;12:94.

2013

- Afram B, Stephan A, Verbeek H, Bleijlevens MH, Suhonen R, Sutcliffe C, Raamat K, Cabrera E, Soto ME, Hallberg IR, Meyer G, Hamers JP; RightTimePlaceCare Consortium. Reasons for Institutionalization of People With Dementia: Informal Caregiver Reports From 8 European Countries. *J Am Med Dir Assoc*. 2013 Nov 12.
- Arcand M, Brazil K, Nakanishi M, Nakashima T, Alix M, Desson JF, Morello R, Belzile L, Beaulieu M, Hertogh CM, Toscani F, van der Steen JT. Educating families about end-of-life care in advanced dementia: acceptability of a Canadian family booklet to nurses from Canada, France, and Japan. *Int J Palliat Nurs*. 2013 Feb;19(2):67-74.
- Bakker C, de Vugt ME, van Vliet D, Verhey F, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT. Unmet Needs and Health-Related Quality of Life in Young-Onset Dementia. *Am J Geriatr Psychiatry*. 2013 Jul 17
- Bekkema N, de Veer AJ, Albers G, Hertogh CM, Onwuteaka-Philipsen BD, Francke AL. Training needs of nurses and social workers in the end-of-life care for people with intellectual disabilities: A national survey. *Nurse Educ Today*. 2013 Jul 25
- Caruana-Pulpan O, Scerri C. Practices in diagnosis, disclosure and pharmacotherapeutic management of dementia by general practitioners – a national survey. *Aging Ment Health*. 2013 Jul 22.
- Faber M, Voerman G, Erler A, Eriksson T, Baker R, De Lepeleire J, Grol R, Burgers J. Survey of 5 European countries suggests that more elements of patient-centered medical homes could improve primary care. *Health Aff (Millwood)*. 2013 Apr;32(4):797-806
- Hendriks SA, Smalbrugge M, Hertogh CM, van der Steen JT. Dying With Dementia: Symptoms, Treatment, and Quality of Life in the Last Week of Life. *J Pain Symptom Manage*. 2013 Jul 31
- Hutchens RL, Kinsella GJ, Ong B, Pike KE, Clare L, Ames D, Saling MM, Storey E, Mullaly E, Rand E, Parsons S. Relationship Between Control

- Beliefs, Strategy Use, and Memory Performance in Amnestic Mild Cognitive Impairment and Healthy Aging. *J Gerontol B Psychol Sci Soc Sci.* 2013 Apr 2.
- Jessen F, Wolfgruber S, Wiese B, Bickel H, Mösch E, Kaduszkiewicz H, Pentzek M, Riedel-Heller SG, Luck T, Fuchs A, Weyerer S, Werle J, van den Bussche H, Scherer M, Maier W, Wagner M; German Study on Aging, Cognition and Dementia in Primary Care Patients. AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. *Alzheimers Dement.* 2013 Jan 30.
 - Mets T, De Deyn PP, Pals P, De Lepeleire J, Vandewoude M, Ventura M, Ivanoiu A, Albert A, Seghers AK; COGNOS group. COGNOS: care for people with cognitive dysfunction: a national observational study. *Alzheimer Dis Assoc Disord.* 2013 Apr-Jun;27(2):123-32.
 - Miranda-Castillo C, Woods B, Orrell M. The needs of people with dementia living at home from user, caregiver and professional perspectives: a cross-sectional survey. *BMC Health Serv Res.* 2013 Feb 4;13:43.
 - Pfeifer L, Drobetz R, Fankhauser S, Mortby ME, Maercker A, Forstmeier S. Caregiver rating bias in mild cognitive impairment and mild Alzheimer's disease: impact of caregiver burden and depression on dyadic rating discrepancy across domains. *Int Psychogeriatr.* 2013 May 7:1-11.
 - Vandervoort A, Van den Block L, van der Steen JT, Volicer L, Stichele RV, Houttekier D, Deliëns L. Nursing Home Residents Dying With Dementia in Flanders, Belgium: A Nationwide Postmortem Study on Clinical Characteristics and Quality of Dying. *J Am Med Dir Assoc.* 2013 Mar 20.
 - Vandervoort A, Houttekier D, Van den Block L, van der Steen JT, Stichele RV, Deliëns L. Advance Care Planning and Physician Orders in Nursing Home Residents With Dementia: A Nationwide Retrospective Study Among Professional Caregivers and Relatives. *J Pain Symptom Manage.* 2013 Jun 21. pii: S0885-3924(13)00237-6.

- van Paasschen J, Clare L, Yuen KS, Woods RT, Evans SJ, Parkinson CH, Rugg MD, Linden DE. Cognitive rehabilitation changes memory-related brain activity in people with Alzheimer disease. *Neurorehabil Neural Repair*. 2013 Jun;27(5):448-59
- van Uden N, Van den Block L, van der Steen JT, Onwuteaka-Philipsen BD, Vandervoort A, Vander Stichele R, Deliens L. Quality of dying of nursing home residents with dementia as judged by relatives. *Int Psychogeriatr*. 2013 Oct;25(10):1697-707.

2012

- Aguirre E, Hoare Z, Streater A, Spector A, Woods B, Hoe J, Orrell M. Cognitive stimulation therapy (CST) for people with dementia-who benefits most? *Int J Geriatr Psychiatry*. 2012 May 10
- Ament BH, de Vugt ME, Koomen FM, Jansen MW, Verhey FR, Kempen GI. Resources as a Protective Factor for Negative Outcomes of Frailty in Elderly People. *Gerontology*. 2012 Mar 6
- Beekmann M, van den Bussche H, Glaeske G, Hoffmann F. Geriatric morbidity patterns and need for long-term care in patients with dementia. *Psychiatr Prax*. 2012 Jul;39(5):222-7.
- Boorsma M, Joling KJ, Frijters DH, Ribbe ME, Nijpels G, van Hout HP. The prevalence, incidence and risk factors for delirium in Dutch nursing homes and residential care homes. *Int J Geriatr Psychiatry*. 2012 Jul;27(7):709-15.
- Boorsma M, Joling K, Dussel M, Ribbe M, Frijters D, van Marwijk HW, Nijpels G, van Hout H. The incidence of depression and its risk factors in dutch nursing homes and residential care homes. *Am J Geriatr Psychiatry*. 2012 Nov;20(11):932-42.
- Bruvik FK, Ulstein ID, Ranhoff AH, Engedal K. The quality of life of people with dementia and their family carers. *Dement Geriatr Cogn Disord*. 2012;34(1):7-14.
- Caddell LS, Clare L. Identity, mood, and quality of life in people with early-stage dementia. *Int Psychogeriatr*. 2012 Aug;24(8):1306-15.
- Caddell LS, Clare L. A profile of identity in early-stage dementia and a comparison with healthy older people. *Aging Ment Health*. 2012 Nov 21.
- Clare L, Whitaker CJ, Nelis SM, Martyr A, Markova IS, Roth I, Woods RT, Morris RG. Self-concept in early stage dementia: profile, course, correlates, predictors and implications for quality of life. *Int J Geriatr Psychiatry*. 2012 Jul 6.

- Echávarri C, Burgmans S, Caballero MC, García-Bragado F, Verhey FR, Uylings HB. Co-occurrence of Different Pathologies in Dementia: Implications for Dementia Diagnosis. *J Alzheimers Dis.* 2012 Jan 1;30(4):909-17.
- Hall L, Orrell M, Stott J, Spector A. Cognitive stimulation therapy (CST): neuropsychological mechanisms of change. *Int Psychogeriatr.* 2012 Nov 12:1-11.
- Hölttä EH, Laakkonen ML, Laurila JV, Strandberg TE, Tilvis RS, Pitkälä KH. Apathy: prevalence, associated factors, and prognostic value among frail, older inpatients. *J Am Med Dir Assoc.* 2012 Jul;13(6):541-5.
- Jensen-Dahm C, Vogel A, Waldorff FB, Waldemar G. Discrepancy between self- and proxy-rated pain in Alzheimer's disease: results from the Danish Alzheimer Intervention Study. *J Am Geriatr Soc.* 2012 Jul;60(7)
- Koller D, Kaduszkiewicz H, van den Bussche H, Eisele M, Wiese B, Glaeske G, Hoffmann F. Survival in patients with incident dementia compared with a control group: a five-year follow-up. *Int Psychogeriatr.* 2012 Mar 30:1-9
- Luppá M, Riedel-Heller SG, Stein J, Leicht H, König HH, van den Bussche H, Maier W, Scherer M, Bickel H, Mösch E, Werle J, Pentzek M, Fuchs A, Eisele M, Jessen F, Tebarth F, Wiese B, Weyerer S. Predictors of Institutionalisation in Incident Dementia – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe Study). *Dement Geriatr Cogn Disord.* 2012 Jul 2;33(4):282-288.
- Macneil Vroomen J, Van Mierlo LD, van de Ven PM, Bosmans JE, van den Dungen P, Meiland FJ, Dröes RM, Moll van Charante EP, van der Horst HE, de Rooij SE, van Hout HP. Comparing Dutch Case management care models for people with dementia and their caregivers: The design of the COMPAS study. *BMC Health Serv Res.* 2012 May 28;12(1):132

- Martyr A, Clare L, Nelis SM, Marková IS, Roth I, Woods RT, Whitaker CJ, Morris RG. Verbal fluency and awareness of functional deficits in early-stage dementia. *Clin Neuropsychol*. 2012 Apr;26(3):501-19. Epub 2012 Mar 7.
- McParland P, Devine P, Innes A, Gayle V. Dementia knowledge and attitudes of the general public in Northern Ireland: an analysis of national survey data. *Int Psychogeriatr*. 2012 May 17:1-15
- Mets T, De Deyn PP, Pals P, De Lepeleire J, Vandewoude M, Ventura M, Ivanoiu A, Albert A, Seghers AK; on behalf of the COGNOS group. COGNOS: Care for People With Cognitive Dysfunction: A National Observational Study. *Alzheimer Dis Assoc Disord*. 2012 Apr 25
- Quinn C, Clare L, McGuinness T, Woods RT. The impact of relationships, motivations, and meanings on dementia caregiving outcomes. *Int Psychogeriatr*. 2012 Jun 1:1-11
- Quinn C, Clare L, Woods RT. What predicts whether caregivers of people with dementia find meaning in their role? *Int J Geriatr Psychiatry*. 2012 Feb 15.
- Raglio A, Bellandi D, Baiardi P, Gianotti M, Ubezio MC, Granieri E. Music therapy in frontal temporal dementia: a case report. *J Am Geriatr Soc*. 2012 Aug;60(8):1578-9.
- Teramura-Grönblad M, Bell JS, Pöysti MM, Strandberg TE, Laurila JV, Tilvis RS, Soini H, Pitkälä KH. Risk of Death Associated With Use of PPIs in Three Cohorts of Institutionalized Older People in Finland. *J Am Med Dir Assoc*. 2012 Jun;13(5):488
- Tosato M, Lukas A, van der Roest HG, Danese P, Antocicco M, Finne-Soveri H, Nikolaus T, Landi F, Bernabei R, Onder G. Association of pain with behavioral and psychiatric symptoms among nursing home residents with cognitive impairment: results from the SHELTER study. *Pain*. 2012 Feb;153(2):305-10.

- Truzzi A, Valente L, Ulstein I, Engelhardt E, Laks J, Engedal K. Burnout in familial caregivers of patients with dementia. *Rev Bras Psiquiatr.* 2012 Dec;34(4):405-12.
- van Vliet D, de Vugt ME, Bakker C, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT, Verhey FR. Time to diagnosis in young-onset dementia as compared with late-onset dementia. *Psychol Med.* 2012 May 28:1-10
- Varjassyová A, Hořínek D, Andel R, Amlerova J, Laczó J, Sheardová K, Magerová H, Holmerová I, Vyhnálek M, Bradáč O, Geda YE, Hort J. Recognition of Facial Emotional Expression in Amnestic Mild Cognitive Impairment. *J Alzheimers Dis.* 2012 Sep 6
- Verbeek H, Meyer G, Leino-Kilpi H, Zabalegui A, Hallberg IR, Saks K, Soto ME, Challis D, Sauerland D, Hamers JP; RightTimePlaceCare Consortium. A European study investigating patterns of transition from home care towards institutional dementia care: the protocol of a RightTimePlaceCare study. *BMC Public Health.* 2012 Jan 23;12:68.
- Waldorff FB, Siersma V, Vogel A, Waldemar G. Subjective memory complaints in general practice predicts future dementia: a 4-year follow-up study. *Int J Geriatr Psychiatry.* 2012 Jan 17

2011

- Borroni B, Alberici A, Grassi M, Rozzini L, Turla M, Zanetti O, et al. Prevalence and Demographic Features of Early-Onset Neurodegenerative Dementia in Brescia County, Italy. *Alzheimer Dis Assoc Disord* 2011 Mar 10.
- Bouman AI, Ettema TP, Wetzels RB, van Beek AP, de LJ, Droes RM. Evaluation of Qualidem: a dementia-specific quality of life instrument for persons with dementia in residential settings; scalability and reliability of subscales in four Dutch field surveys. *Int J Geriatr Psychiatry* 2011 Jul;26(7):711-22.

- Bublak P, Redel P, Sorg C, Kurz A, Forstl H, Muller HJ, et al. Staged decline of visual processing capacity in mild cognitive impairment and Alzheimer's disease. *Neurobiol Aging* 2011 Jul;32(7):1219-30.
- Cantegreil-Kallen I, Pin S. Fear of Alzheimer's disease in the French population: impact of age and proximity to the disease. *Int Psychogeriatr* 2011 Aug 18;1-9.
- Clare L, Nelis SM, Martyr A, Roberts J, Whitaker CJ, Markova IS, et al. The influence of psychological, social and contextual factors on the expression and measurement of awareness in early-stage dementia: testing a biopsychosocial model. *Int J Geriatr Psychiatry* 2011 Mar 21.
- Clare L, Nelis SM, Martyr A, Whitaker CJ, Markova IS, Roth I, et al. Longitudinal Trajectories of Awareness in Early-stage Dementia. *Alzheimer Dis Assoc Disord* 2011 Sep 7.
- Clare L, Nelis SM, Whitaker CJ, Martyr A, Markova IS, Roth I, et al. Marital Relationship Quality in Early-Stage Dementia: Perspectives From People With Dementia and Their Spouses. *Alzheimer Dis Assoc Disord* 2011 Jun 16.
- Clare L, Whitaker CJ, Nelis SM, Martyr A, Markova IS, Roth I, et al. Multidimensional assessment of awareness in early-stage dementia: a cluster analytic approach. *Dement Geriatr Cogn Disord* 2011;31(5):317-27.
- De Vreese LP, Mantesso U, De BE, Marangoni A, Gomiero T. Psychometric evaluation of the Italian version of the AADS questionnaire: a caregiver-rated tool for the assessment of behavioral deficits and excesses in persons with intellectual disabilities and dementia. *Int Psychogeriatr* 2011 Sep;23(7):1124-32.
- Drijgers RL, Verhey FR, Leentjens AF, Kohler S, Aalten P. Neuropsychological correlates of apathy in mild cognitive impairment and Alzheimer's disease: the role of executive functioning. *Int Psychogeriatr* 2011 Oct;23(8):1327-33.

- Forstmeier S, Maercker A, Maier W, van den BH, Riedel-Heller S, Kaduszkiewicz H, et al. Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease. *Psychol Aging* 2011 Aug 29.
- Hansen ML, Waldorff FB, Waldemar G. Prognostic factors for weight loss over 1-year period in patients recently diagnosed with mild Alzheimer Disease. *Alzheimer Dis Assoc Disord* 2011 Jul;25(3):269-75.
- Hobbelen JS, Tan FE, Verhey FR, Koopmans RT, de Bie RA. Prevalence, incidence and risk factors of paratonia in patients with dementia: a one-year follow-up study. *Int Psychogeriatr* 2011 Sep;23(7):1051-60.
- Holle D, Halek M, Mayer H, Bartholomeyczik S. [The influence of understanding diagnostics on perceived stress of nurses caring for nursing home residents with dementia]. *Pflege* 2011 Oct;24(5):303-16.
- Joling KJ, Smit F, van Marwijk HW, van der Horst HE, Scheltens P, Schulz R, et al. Identifying target groups for the prevention of depression among caregivers of dementia patients. *Int Psychogeriatr* 2011 Sep 1;1-9.
- Kohler S, van BM, Jolles J, Verhey F. Depressive symptoms and risk for dementia: a 9-year follow-up of the maastricht aging study. *Am J Geriatr Psychiatry* 2011 Oct;19(10):902-5.
- Martyr A, Clare L, Nelis SM, Roberts JL, Robinson JU, Roth I, et al. Dissociation between implicit and explicit manifestations of awareness in early stage dementia: evidence from the emotional Stroop effect for dementia-related words. *Int J Geriatr Psychiatry* 2011 Jan;26(1):92-9.
- Mortby ME, Maercker A, Forstmeier S. Midlife motivational abilities predict apathy and depression in Alzheimer disease: the aging, demographics, and memory study. *J Geriatr Psychiatry Neurol* 2011 Sep;24(3):151-60.
- Nelis SM, Clare L, Martyr A, Markova I, Roth I, Woods RT, et al. Awareness of social and emotional functioning in people with early-stage dementia, and implications for carers. *Aging Ment Health* 2011 Jul 4.

- Niemeijer AR, Frederiks BJ, Depla MF, Legemaate J, Eefsting JA, Hertogh CM. The ideal application of surveillance technology in residential care for people with dementia. *J Med Ethics* 2011 May;37(5):303-10.
- Perneckzy R, Alexopoulos P, Schmid G, Sorg C, Forstl H, ehl-Schmid J, et al. [Cognitive reserve and its relevance for the prevention and diagnosis of dementia]. *Nervenarzt* 2011 Mar;82(3):325-35.
- Uusvaara J, Pitkala KH, Kautiainen H, Tilvis RS, Strandberg TE. Association of anticholinergic drugs with hospitalization and mortality among older cardiovascular patients: A prospective study. *Drugs Aging* 2011 Feb 1;28(2):131-8.
- van den BH, Wiese B, Koller D, Eisele M, Kaduszkiewicz H, Maier W, et al. Specialist involvement and referral patterns in ambulatory medical care for patients with dementia in Germany: results of a claims data based case-control study. *BMC Health Serv Res* 2011;11:148.
- van RM, Sanders S, Kahn K, van HC, Griffin JM, Martin M, et al. Objective burden, resources, and other stressors among informal cancer caregivers: a hidden quality issue? *Psychooncology* 2011 Jan;20(1):44-52.
- Vogel A, Bhattacharya S, Waldorff FB, Waldemar G. Proxy-rated quality of life in Alzheimer's disease: a three-year longitudinal study. *Int Psychogeriatr* 2011 Jun 28;1-8
- Werheid K, McDonald RS, Simmons-Stern N, Ally BA, Budson AE. Familiar smiling faces in Alzheimer's disease: understanding the positivity-related recognition bias. *Neuropsychologia* 2011 Aug;49(10):2935-40.
- Wetzels RB, Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Prescribing pattern of psychotropic drugs in nursing home residents with dementia. *Int Psychogeriatr* 2011 Oct;23(8):1249-59.
- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Psychotropic drug prescription in nursing home patients with dementia: influence of environmental correlates and staff distress on physicians' prescription behavior. *Int Psychogeriatr* 2011 Aug 4;1-8.

- Zuidema SU, Buursema AL, Gerritsen MG, Oosterwal KC, Smits MM, Koopmans RT, et al. Assessing neuropsychiatric symptoms in nursing home patients with dementia: reliability and Reliable Change Index of the Neuropsychiatric Inventory and the Cohen-Mansfield Agitation Inventory. *Int J Geriatr Psychiatry* 2011 Feb;26(2):127-34.

PREVIOUS YEARS

- Aalten P, Jolles J, de Vugt ME, Verhey FR. The influence of neuropsychological functioning on neuropsychiatric problems in dementia. *J Neuropsychiatry Clin Neurosci* 2007;19(1):50-6.
- Aalten P, Verhey FR, Boziki M, Bullock R, Byrne EJ, Camus V, et al. Neuropsychiatric syndromes in dementia. Results from the European Alzheimer Disease Consortium: part I. *Dement Geriatr Cogn Disord* 2007;24(6):457-63.
- Aalten P, Verhey FR, Boziki M, Brugnolo A, Bullock R, Byrne EJ, et al. Consistency of neuropsychiatric syndromes across dementias: results from the European Alzheimer Disease Consortium. Part II. *Dement Geriatr Cogn Disord* 2008;25(1):1-8.
- Achterberg WP, Scherder E, Pot AM, Ribbe MW. Cardiovascular risk factors in cognitively impaired nursing home patients: a relationship with pain? *Eur J Pain* 2007 Aug;11(6):707-10.
- Ahmad S, Orrell M, Iliffe S, Gracie A. GPs' attitudes, awareness, and practice regarding early diagnosis of dementia. *Br J Gen Pract* 2010 Sep;60(578):e360-e365.
- Alexopoulos P, Grimmer T, Perneczky R, Domes G, Kurz A. Progression to dementia in clinical subtypes of mild cognitive impairment. *Dement Geriatr Cogn Disord* 2006;22(1):27-34.
- Alexopoulos P, Grimmer T, Perneczky R, Domes G, Kurz A. Do all patients with mild cognitive impairment progress to dementia? *J Am Geriatr Soc* 2006 Jun;54(6):1008-10.
- Baars MA, van Boxtel MP, Dijkstra JB, Visser PJ, van den AM, Verhey FR, et al. Predictive value of mild cognitive impairment for dementia. The influence of case definition and age. *Dement Geriatr Cogn Disord* 2009;27(2):173-81.

- Baker JA, Keady J, Hardman P, Kay J, Jones L, Jolley D. Psychotropic PRN use among older people's inpatient mental health services. *J Psychiatr Ment Health Nurs* 2010 Jun;17(5):463-8.
- Baldelli MV, Pradelli JM, Zucchi P, Martini B, Orsi F, Fabbo A. Occupational therapy and dementia: the experience of an Alzheimer special care unit. *Arch Gerontol Geriatr* 2007;44 Suppl 1:49-54.
- Balducci C, Mnich E, McKee KJ, Lamura G, Beckmann A, Krevers B, et al. Negative impact and positive value in caregiving: validation of the COPE index in a six-country sample of carers. *Gerontologist* 2008 Jun;48(3):276-86.
- Baller M, Boorsma M, Frijters DH, van Marwijk HW, Nijpels G, van Hout HP. Depression in Dutch homes for the elderly: under-diagnosis in demented residents? *Int J Geriatr Psychiatry* 2010 Jul;25(7):712-8.
- Bamford C, Eccles M, Steen N, Robinson L. Can primary care record review facilitate earlier diagnosis of dementia? *Fam Pract* 2007 Apr;24(2):108-16.
- Bartholomeyczik S, Reuther S, Luft L, van NN, Meijers J, Schols J, et al. [Prevalence of malnutrition, interventions and quality indicators in German nursing homes – first results of a nationwide pilot study]. *Gesundheitswesen* 2010 Dec;72(12):868-74.
- Bhattacharya S, Vogel A, Hansen ML, Waldorff FB, Waldemar G. Generic and disease-specific measures of quality of life in patients with mild Alzheimer's disease. *Dement Geriatr Cogn Disord* 2010;30(4):327-33.
- Bickel H, Riemenschneider M, Kurz A. [Associations between dementia and head circumference as a measure of brain reserve—results from the Bavarian School sisters study]. *Psychiatr Prax* 2006 Apr;33(3):138-44.
- Bickel H, Kurz A. Education, occupation, and dementia: the Bavarian school sisters study. *Dement Geriatr Cogn Disord* 2009;27(6):548-56.

- Biggs S, Manthorpe J, Tinker A, Doyle M, Erens B. Mistreatment of older people in the United Kingdom: findings from the first National Prevalence Study. *J Elder Abuse Negl* 2009 Jan;21(1):1-14.
- Blessing A, Zoellig J, Dammann G, Martin M. Implicit learning of affective responses in dementia patients: a face-emotion-association paradigm. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn* 2010 Nov;17(6):633-47.
- Bouwens SF, van Heugten CM, Aalten P, Wolfs CA, Baarends EM, van Menxel DA, et al. Relationship between measures of dementia severity and observation of daily life functioning as measured with the Assessment of Motor and Process Skills (AMPS). *Dement Geriatr Cogn Disord* 2008;25(1):81-7.
- Bouwens SF, van Heugten CM, Verhey FR. Association between cognition and daily life functioning in dementia subtypes. *Int J Geriatr Psychiatry* 2009 Jul;24(7):764-9.
- Braun M, Scholz U, Hornung R, Martin M. [Caregiver burden with dementia patients. A validation study of the German language version of the Zarit Burden Interview]. *Z Gerontol Geriatr* 2010 Apr;43(2):111-9.
- Cahill S, Clark M, Walsh C, O'Connell H, Lawlor B. Dementia in primary care: the first survey of Irish general practitioners. *Int J Geriatr Psychiatry* 2006 Apr;21(4):319-24.
- Clare L, Wilson BA. Longitudinal assessment of awareness in early-stage Alzheimer's disease using comparable questionnaire-based and performance-based measures: a prospective one-year follow-up study. *Aging Ment Health* 2006 Mar;10(2):156-65.
- Clare L, Whitaker CJ, Nelis SM. Appraisal of memory functioning and memory performance in healthy ageing and early-stage Alzheimer's disease. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn* 2010;17(4):462-91.

- Clarke CL, Gibb CE, Keady J, Luce A, Wilkinson H, Williams L, et al. Risk management dilemmas in dementia care: an organizational survey in three UK countries. *Int J Older People Nurs* 2009 Jun;4(2):89-96.
- Collerton J, Davies K, Jagger C, Kingston A, Bond J, Eccles MP, et al. Health and disease in 85 year olds: baseline findings from the Newcastle 85+ cohort study. *BMJ* 2009;339:b4904.
- Cooper C, Katona C, Orrell M, Livingston G. Coping strategies and anxiety in caregivers of people with Alzheimer's disease: the LASER-AD study. *J Affect Disord* 2006 Jan;90(1):15-20.
- Cooper C, Katona C, Orrell M, Livingston G. Coping strategies, anxiety and depression in caregivers of people with Alzheimer's disease. *Int J Geriatr Psychiatry* 2008 Sep;23(9):929-36.
- de Boer ME, Droes RM, Jonker C, Eefsting JA, Hertogh CM. Advance directives for euthanasia in dementia: do law-based opportunities lead to more euthanasia? *Health Policy* 2010 Dec;98(2-3):256-62.
- de Jonghe JF, Wetzels RB, Mulders A, Zuidema SU, Koopmans RT. Validity of the Severe Impairment Battery Short Version. *J Neurol Neurosurg Psychiatry* 2009 Sep;80(9):954-9.
- de Vugt ME, Jolles J, van OL, Stevens F, Aalten P, Lousberg R, et al. Cognitive functioning in spousal caregivers of dementia patients: findings from the prospective MAASBED study. *Age Ageing* 2006 Mar;35(2):160-6.
- de Vugt ME, Riedijk SR, Aalten P, Tibben A, van Swieten JC, Verhey FR. Impact of behavioural problems on spousal caregivers: a comparison between Alzheimer's disease and frontotemporal dementia. *Dement Geriatr Cogn Disord* 2006;22(1):35-41.
- de RJ, Thevenet S, Richard A, Cantegreil I, Wenisch E, Chausson C, et al. [Impact of a psychoeducational program on stress of caregivers of Alzheimer disease patients]. *Encephale* 2006 Sep;32 Pt 5:S650-S655.
- Degryse J, De LJ, Southgate L, Vernooij-Dassen M, Gay B, Heyrman J. An evaluation of a computer based education program for the diagnosis

- and management of dementia in primary care. An international study of the transcultural adaptations necessary for European dissemination. *Med Teach* 2009 May;31(5):397-402.
- Douglass C, Keddie A, Brooker D, Surr C. Cross-cultural comparison of the perceptions and experiences of dementia care mapping “mappers” in the United States and the United Kingdom. *J Aging Health* 2010 Aug;22(5):567-88.
 - Downs M, Bowers B. Caring for people with dementia. *BMJ* 2008 Feb 2;336(7638):225-6.
 - Drees RM, Meiland FJ, Schmitz MJ, van TW. Effect of the Meeting Centres Support Program on informal carers of people with dementia: results from a multi-centre study. *Aging Ment Health* 2006 Mar;10(2):112-24.
 - Dunn J, Clare L. Learning face-name associations in early-stage dementia: comparing the effects of errorless learning and effortful processing. *Neuropsychol Rehabil* 2007 Dec;17(6):735-54.
 - Eggermont LH, de VK, Scherder EJ. Psychotropic medication use and cognition in institutionalized older adults with mild to moderate dementia. *Int Psychogeriatr* 2009 Apr;21(2):286-94.
 - Eggermont LH, Knol DL, Hol EM, Swaab DF, Scherder EJ. Hand motor activity, cognition, mood, and the rest-activity rhythm in dementia: a clustered RCT. *Behav Brain Res* 2009 Jan 23;196(2):271-8.
 - Eggermont LH, Swaab DF, Hol EM, Scherder EJ. Observation of hand movements by older persons with dementia: effects on cognition: a pilot study. *Dement Geriatr Cogn Disord* 2009;27(4):366-74.
 - Forstmeier S, Maercker A. Motivational reserve: lifetime motivational abilities contribute to cognitive and emotional health in old age. *Psychol Aging* 2008 Dec;23(4):886-99.

- Gaugler JE, Mittelman MS, Hepburn K, Newcomer R. Predictors of change in caregiver burden and depressive symptoms following nursing home admission. *Psychol Aging* 2009 Jun;24(2):385-96.
- Gaugler JE, Mittelman MS, Hepburn K, Newcomer R. Clinically significant changes in burden and depression among dementia caregivers following nursing home admission. *BMC Med* 2010;8:85.
- Georges J, Jansen S, Jackson J, Meyrieux A, Sadowska A, Selmes M. Alzheimer's disease in real life—the dementia carer's survey. *Int J Geriatr Psychiatry* 2008 May;23(5):546-51.
- Gerritsen DL, Ettema TP, Boelens E, Bos J, Hoogeveen F, de LJ, et al. Quality of life in dementia: do professional caregivers focus on the significant domains? *Am J Alzheimers Dis Other Demen* 2007 Jun;22(3):176-83.
- Graban A, Bednarska-Makaruk M, Bochynska A, Lipczynska-Lojkowska W, Ryglewicz D, Wehr H. Vascular and biochemical risk factors of vascular dementia after lacunar strokes (S-VaD) and after multiinfarcts in strategic areas (M-VaD). *J Neurol Sci* 2009 Aug 15;283(1-2):116-8.
- Habeck C, Foster NL, Pernecky R, Kurz A, Alexopoulos P, Koeppe RA, et al. Multivariate and univariate neuroimaging biomarkers of Alzheimer's disease. *Neuroimage* 2008 May 1;40(4):1503-15.
- Hancock GA, Woods B, Challis D, Orrell M. The needs of older people with dementia in residential care. *Int J Geriatr Psychiatry* 2006 Jan;21(1):43-9.
- Hobbelen JS, Koopmans RT, Verhey FR, Habraken KM, de Bie RA. Diagnosing paratonia in the demented elderly: reliability and validity of the Paratonia Assessment Instrument (PAI). *Int Psychogeriatr* 2008 Aug;20(4):840-52.
- Hoe J, Hancock G, Livingston G, Orrell M. Quality of life of people with dementia in residential care homes. *Br J Psychiatry* 2006 May;188:460-4.

- Hoe J, Katona C, Orrell M, Livingston G. Quality of life in dementia: care recipient and caregiver perceptions of quality of life in dementia: the LASER-AD study. *Int J Geriatr Psychiatry* 2007 Oct;22(10):1031-6.
- Hoe J, Hancock G, Livingston G, Woods B, Challis D, Orrell M. Changes in the quality of life of people with dementia living in care homes. *Alzheimer Dis Assoc Disord* 2009 Jul;23(3):285-90.
- Hosia-Randell HM, Muurinen SM, Pitkala KH. Exposure to potentially inappropriate drugs and drug-drug interactions in elderly nursing home residents in Helsinki, Finland: a cross-sectional study. *Drugs Aging* 2008;25(8):683-92.
- Hurt C, Bhattacharyya S, Burns A, Camus V, Liperoti R, Marriott A, et al. Patient and caregiver perspectives of quality of life in dementia. An investigation of the relationship to behavioural and psychological symptoms in dementia. *Dement Geriatr Cogn Disord* 2008;26(2):138-46.
- Joling KJ, van Hout HP, Schellevis FG, van der Horst HE, Scheltens P, Knol DL, et al. Incidence of depression and anxiety in the spouses of patients with dementia: a naturalistic cohort study of recorded morbidity with a 6-year follow-up. *Am J Geriatr Psychiatry* 2010 Feb;18(2):146-53.
- Jones L, Holmans PA, Hamshere ML, Harold D, Moskvina V, Ivanov D, et al. Genetic evidence implicates the immune system and cholesterol metabolism in the aetiology of Alzheimer's disease. *PLoS One* 2010;5(11):e13950.
- Kat MG, Zuidema SU, van der PT, Kalisvaart KJ, van Gool WA, Eikelenboom P, et al. Reasons for psychiatric consultation referrals in Dutch nursing home patients with dementia: a comparison with normative data on prevalence of neuropsychiatric symptoms. *Int J Geriatr Psychiatry* 2008 Oct;23(10):1014-9.
- Kohler S, van Boxtel MP, van OJ, Thomas AJ, O'Brien JT, Jolles J, et al. Depressive symptoms and cognitive decline in community-dwelling older adults. *J Am Geriatr Soc* 2010 May;58(5):873-9.

- Kurz A, Schulz M, Reed P, Wortmann M, Rodrigo J, von Lutzau HH, et al. Personal perspectives of persons with Alzheimer's disease and their carers: a global survey. *Alzheimers Dement* 2008 Sep;4(5):345-52.
- Laakkonen ML, Raivio MM, Eloniemi-Sulkava U, Saarenheimo M, Pietila M, Tilvis RS, et al. How do elderly spouse care givers of people with Alzheimer disease experience the disclosure of dementia diagnosis and subsequent care? *J Med Ethics* 2008 Jun;34(6):427-30.
- Lamura G, Mnich E, Wojszel B, Nolan M, Krevers B, Mestheneos L, et al. [The experience of family carers of older people in the use of support services in Europe: selected findings from the EUROFAMCARE project]. *Z Gerontol Geriatr* 2006 Dec;39(6):429-42.
- Lamura G, Mnich E, Nolan M, Wojszel B, Krevers B, Mestheneos L, et al. Family carers' experiences using support services in Europe: empirical evidence from the EUROFAMCARE study. *Gerontologist* 2008 Dec;48(6):752-71.
- Manthorpe J, Clough R, Cornes M, Bright L, Moriarty J, Iliffe S. Four years on: the impact of the National Service Framework for Older People on the experiences, expectations and views of older people. *Age Ageing* 2007 Sep;36(5):501-7.
- Martin-Carrasco M, Otermin P, Perez-Camo V, Pujol J, Aguera L, Martin MJ, et al. EDUCA study: Psychometric properties of the Spanish version of the Zarit Caregiver Burden Scale. *Aging Ment Health* 2010 Aug;14(6):705-11.
- Masterson J, Druks J, Kopelman M, Clare L, Garley C, Hayes M. Selective naming (and comprehension) deficits in Alzheimer's disease? *Cortex* 2007 Oct;43(7):921-34.
- McKee K, Spazzafumo L, Nolan M, Wojszel B, Lamura G, Bien B. Components of the difficulties, satisfactions and management strategies of carers of older people: a principal component analysis of CADI-CASI-CAMI. *Aging Ment Health* 2009 Mar;13(2):255-64.

- Meeussen K, Van den BL, Bossuyt N, Bilsen J, Echteld M, Van C, V, et al. GPs' awareness of patients' preference for place of death. *Br J Gen Pract* 2009 Sep;59(566):665-70.
- Meiland FJ, Kat MG, van Tilburg W, Jonker C, Dröes RM. The Emotional Impact of Psychiatric Symptoms in Dementia on Partner Caregivers: Do Caregiver, Patient, and Situation Characteristics Make a Difference? *Alzheimer Dis Assoc Disord*. 2005,19(4):195-201.
- Mets T, De Deyn PP, Pals P, De Lepeleire J, Vandewoude M, Ventura M, Ivanoiu A, Albert A, Seghers AK; on behalf of the COGNOS group. COGNOS: Care for People With Cognitive Dysfunction: A National Observational Study. *Aging Ment Health* 2006 Jan;10(1):55-62.
- Miranda-Castillo C, Woods B, Galboda K, Oomman S, Olojugba C, Orrell M. Unmet needs, quality of life and support networks of people with dementia living at home. *Health Qual Life Outcomes* 2010;8:132.
- Miranda-Castillo C, Woods B, Orrell M. People with dementia living alone: what are their needs and what kind of support are they receiving? *Int Psychogeriatr* 2010 Jun;22(4):607-17.
- Missotten P, Ylief M, Di ND, Paquay L, De LJ, Buntinx F, et al. Quality of life in dementia: a 2-year follow-up study. *Int J Geriatr Psychiatry* 2007 Dec;22(12):1201-7.
- Missotten P, Squelard G, Ylief M, Di ND, Paquay L, De LJ, et al. Relationship between quality of life and cognitive decline in dementia. *Dement Geriatr Cogn Disord* 2008;25(6):564-72.
- Missotten P, Squelard G, Ylief M, Di ND, Paquay L, De LJ, et al. Quality of life in older Belgian people: comparison between people with dementia, mild cognitive impairment, and controls. *Int J Geriatr Psychiatry* 2008 Nov;23(11):1103-9.
- Missotten P, Thomas P, Squelard G, Di ND, Fontaine O, Paquay L, et al. Impact of place of residence on relationship between quality of life and

- cognitive decline in dementia. *Alzheimer Dis Assoc Disord* 2009 Oct;23(4):395-400.
- Nijk RM, Zuidema SU, Koopmans RT. Prevalence and correlates of psychotropic drug use in Dutch nursing-home patients with dementia. *Int Psychogeriatr* 2009 Jun;21(3):485-93.
 - Orrell M, Cooper C, Braithwaite S. Do carers' needs assessments make a difference? Results from the Forget me not study. *Age Ageing* 2006 Jul;35(4):444-5.
 - Orrell M, Hancock GA, Liyanage KC, Woods B, Challis D, Hoe J. The needs of people with dementia in care homes: the perspectives of users, staff and family caregivers. *Int Psychogeriatr* 2008 Oct;20(5):941-51.
 - Paquay L, De LJ, Schoenmakers B, Ylief M, Fontaine O, Buntinx F. Comparison of the diagnostic accuracy of the Cognitive Performance Scale (Minimum Data Set) and the Mini-Mental State Exam for the detection of cognitive impairment in nursing home residents. *Int J Geriatr Psychiatry* 2007 Apr;22(4):286-93.
 - Pentzek M, Wollny A, Wiese B, Jessen F, Haller F, Maier W, et al. Apart from nihilism and stigma: what influences general practitioners' accuracy in identifying incident dementia? *Am J Geriatr Psychiatry* 2009 Nov;17(11):965-75.
 - Pernecky R, Drzezga A, ehl-Schmid J, Schmid G, Wohlschlager A, Kars S, et al. Schooling mediates brain reserve in Alzheimer's disease: findings of fluoro-deoxy-glucose-positron emission tomography. *J Neurol Neurosurg Psychiatry* 2006 Sep;77(9):1060-3.
 - Pernecky R, Pohl C, Sorg C, Hartmann J, Komossa K, Alexopoulos P, et al. Complex activities of daily living in mild cognitive impairment: conceptual and diagnostic issues. *Age Ageing* 2006 May;35(3):240-5.
 - Pernecky R, ehl-Schmid J, Drzezga A, Kurz A. Brain reserve capacity in frontotemporal dementia: a voxel-based 18F-FDG PET study. *Eur J Nucl Med Mol Imaging* 2007 Jul;34(7):1082-7.

- Perneczky R, Wagenpfeil S, Lunetta KL, Cupples LA, Green RC, DeCarli C, et al. Education attenuates the effect of medial temporal lobe atrophy on cognitive function in Alzheimer's disease: the MIRAGE study. *J Alzheimers Dis* 2009;17(4):855-62.
- Petrovic M, Hurt C, Collins D, Burns A, Camus V, Liperoti R, et al. Clustering of behavioural and psychological symptoms in dementia (BPSD): a European Alzheimer's disease consortium (EADC) study. *Acta Clin Belg* 2007 Nov;62(6):426-32.
- Rait G, Walters K, Bottomley C, Petersen I, Iliffe S, Nazareth I. Survival of people with clinical diagnosis of dementia in primary care: cohort study. *BMJ* 2010;341:c3584.
- Raivio M, Eloniemi-Sulkava U, Laakkonen ML, Saarenheimo M, Pietila M, Tilvis R, et al. How do officially organized services meet the needs of elderly caregivers and their spouses with Alzheimer's disease? *Am J Alzheimers Dis Other Demen* 2007 Oct;22(5):360-8.
- Ramakers IH, Visser PJ, Aalten P, Boesten JH, Metsemakers JF, Jolles J, et al. Symptoms of preclinical dementia in general practice up to five years before dementia diagnosis. *Dement Geriatr Cogn Disord* 2007;24(4):300-6.
- Ramakers IH, Visser PJ, Aalten P, Bekers O, Slegers K, van Broeckhoven CL, et al. The association between APOE genotype and memory dysfunction in subjects with mild cognitive impairment is related to age and Alzheimer pathology. *Dement Geriatr Cogn Disord* 2008;26(2):101-8.
- Ramakers IH, Visser PJ, Bittermann AJ, Ponds RW, van Boxtel MP, Verhey FR. Characteristics of help-seeking behaviour in subjects with subjective memory complaints at a memory clinic: a case-control study. *Int J Geriatr Psychiatry* 2009 Feb;24(2):190-6.
- Ramakers IH, Visser PJ, Aalten P, Kester A, Jolles J, Verhey FR. Affective symptoms as predictors of Alzheimer's disease in subjects with

- mild cognitive impairment: a 10-year follow-up study. *Psychol Med* 2010 Jul;40(7):1193-201.
- Ramakers IH, Visser PJ, Aalten P, Maes HL, Lansdaal HG, Meijs CJ, et al. The predictive value of memory strategies for Alzheimer's disease in subjects with mild cognitive impairment. *Arch Clin Neuropsychol* 2010 Feb;25(1):71-7.
 - Riedijk SR, de Vugt ME, Duivenvoorden HJ, Niermeijer MF, van Swieten JC, Verhey FR, et al. Caregiver burdens, health-related quality of life and coping in dementia caregivers: a comparison of frontotemporal dementia and Alzheimer's disease. *Dement Geriatr Cogn Disord* 2006;22(5-6):405-12.
 - Robinson L, Vellas B, Knox S, Lins K. Clinical practice patterns of generalists and specialists in Alzheimer's disease: what are the differences, and what difference do they make? *J Nutr Health Aging* 2010 Aug;14(7):545-52.
 - Rosa E, Lussignoli G, Sabbatini F, Chiappa A, Di CS, Lamanna L, et al. Needs of caregivers of the patients with dementia. *Arch Gerontol Geriatr* 2010 Jul;51(1):54-8.
 - Rosness TA, Ulstein I, Engedal K. Stress affects carers before patient's first visit to a memory clinic. *Int J Geriatr Psychiatry* 2009 Oct;24(10):1143-50.
 - Rossi R, Geroldi C, Bresciani L, Testa C, Binetti G, Zanetti O, et al. Clinical and neuropsychological features associated with structural imaging patterns in patients with mild cognitive impairment. *Dement Geriatr Cogn Disord* 2007;23(3):175-83.
 - Schoenmakers B, Buntinx F, De LJ. The relation between care giving and the mental health of caregivers of demented relatives: a cross-sectional study. *Eur J Gen Pract* 2009;15(2):99-106.

- Scholzel-Dorenbos CJ, Draskovic I, Vernooij-Dassen MJ, Olde Rikkert MG. Quality of life and burden of spouses of Alzheimer disease patients. *Alzheimer Dis Assoc Disord* 2009 Apr;23(2):171-7.
- Sorensen LV, Waldorff FB, Waldemar G. Social participation in home-living patients with mild Alzheimer's disease. *Arch Gerontol Geriatr* 2008 Nov;47(3):291-301.
- Spector A, Orrell M. Quality of life (QoL) in dementia: a comparison of the perceptions of people with dementia and care staff in residential homes. *Alzheimer Dis Assoc Disord* 2006 Jul;20(3):160-5.
- Strandberg TE, Pitkala KH, Tienari PJ, Tilvis RS. Re: Education and dementia: what lies behind the association? *Neurology* 2008 Nov 4;71(19):1555-6.
- Strandberg TE, Pitkala KH, Tilvis RS. Predictors of mortality in home-dwelling patients with cardiovascular disease aged 75 and older. *J Am Geriatr Soc* 2009 Feb;57(2):279-84.
- Suominen MH, Kivisto SM, Pitkala KH. The effects of nutrition education on professionals' practice and on the nutrition of aged residents in dementia wards. *Eur J Clin Nutr* 2007 Oct;61(10):1226-32.
- Testad I, Auer S, Mittelman M, Ballard C, Fossey J, Donabauer Y, et al. Nursing home structure and association with agitation and use of psychotropic drugs in nursing home residents in three countries: Norway, Austria and England. *Int J Geriatr Psychiatry* 2010 Jul;25(7):725-31.
- Torp S, Hanson E, Hauge S, Ulstein I, Magnusson L. A pilot study of how information and communication technology may contribute to health promotion among elderly spousal carers in Norway. *Health Soc Care Community* 2008 Jan;16(1):75-85.
- Tosato M, Lukas A, van der Roest HG, Danese P, Antocicco M, Finne-Soveri H, Nikolaus T, Landi F, Bernabei R, Onder G. Association of pain with behavioral and psychiatric symptoms among nursing home residents

- with cognitive impairment: results from the SHELTER study. *Pain*. 2012 Feb;153(2):305-10.
- Uusvaara J, Pitkala KH, Tienari PJ, Kautiainen H, Tilvis RS, Strandberg TE. Association between anticholinergic drugs and apolipoprotein E epsilon4 allele and poorer cognitive function in older cardiovascular patients: a cross-sectional study. *J Am Geriatr Soc* 2009 Mar;57(3):427-31.
 - Van Den Wijngaart MA, Vernooij-Dassen MJ, Felling AJ. The influence of stressors, appraisal and personal conditions on the burden of spousal caregivers of persons with dementia. *Aging Ment Health* 2007 Nov;11(6):626-36.
 - Van der Roest HG, Meiland FJ, Jonker C, Droes RM. User evaluation of the DEMentia-specific Digital Interactive Social Chart (DEM-DISC). A pilot study among informal carers on its impact, user friendliness and, usefulness. *Aging Ment Health* 2010 May;14(4):461-70.
 - van Hout HP, Vernooij-Dassen MJ, Jansen DA, Stalman WA. Do general practitioners disclose correct information to their patients suspected of dementia and their caregivers? A prospective observational study. *Aging Ment Health* 2006 Mar;10(2):151-5.
 - van Hout HP, Vernooij-Dassen MJ, Stalman WA. Diagnosing dementia with confidence by GPs. *Fam Pract* 2007 Dec;24(6):616-21.
 - Van HS, De LJ. Does the use of care plans improve the quality of home care? *Qual Prim Care* 2010;18(3):161-72.
 - van VD, Bakker C, Koopmans RT, Vernooij-Dassen MJ, Verhey FR, de Vugt ME. Research protocol of the NeedYD-study (Needs in Young onset Dementia): a prospective cohort study on the needs and course of early onset dementia. *BMC Geriatr* 2010;10:13.
 - Vernooij-Dassen MJ, Van Hout HP, Hund KL, Hoefnagels WH, Grol RP. Information for dementia patients and their caregivers: what

information does a memory clinic pass on, and to whom? *Aging Ment Health*. 2003 Jan;7(1):34-8.

- Visser PJ, Kester A, Jolles J, Verhey F. Ten-year risk of dementia in subjects with mild cognitive impairment. *Neurology* 2006 Oct 10;67(7):1201-7.
- Visser PJ, Verhey FR, Boada M, Bullock R, De Deyn PP, Frisoni GB, et al. Development of screening guidelines and clinical criteria for predementia Alzheimer's disease. The DESCRIPA Study. *Neuroepidemiology* 2008;30(4):254-65.
- Visser PJ, Verhey FR. Mild cognitive impairment as predictor for Alzheimer's disease in clinical practice: effect of age and diagnostic criteria. *Psychol Med* 2008 Jan;38(1):113-22.
- Visser PJ, Verhey F, Knol DL, Scheltens P, Wahlund LO, Freund-Levi Y, et al. Prevalence and prognostic value of CSF markers of Alzheimer's disease pathology in patients with subjective cognitive impairment or mild cognitive impairment in the DESCRIPA study: a prospective cohort study. *Lancet Neurol* 2009 Jul;8(7):619-27.
- Vogel A, Waldorff FB, Waldemar G. Impaired awareness of deficits and neuropsychiatric symptoms in early Alzheimer's disease: the Danish Alzheimer Intervention Study (DAISY). *J Neuropsychiatry Clin Neurosci* 2010;22(1):93-9.
- Waldorff FB, Haugbolle NW, Moller HC, Rishoj S, Waldemar G. [Memory problems among elderly patients in general practice: the importance of caregiver information]. *Ugeskr Laeger* 2006 Oct 2;168(40):3420-4.
- Waldorff FB, Steenstrup AP, Nielsen B, Rubak J, Bro F. Diffusion of an e-learning programme among Danish General Practitioners: a nation-wide prospective survey. *BMC Fam Pract* 2008;9:24.
- Waldorff FB, Nielsen AB, Waldemar G. Self-rated health in patients with mild Alzheimer's disease: baseline data from the Danish Alzheimer Intervention Study. *Arch Gerontol Geriatr* 2010 Jan;50(1):1-5.

- Wetzels RB, Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Determinants of quality of life in nursing home residents with dementia. *Dement Geriatr Cogn Disord* 2010;29(3):189-97.
- Wilbur MB, Marani JE, Appugliese D, Woods R, Siegel JA, Cabral HJ, et al. Socioemotional effects of fathers' incarceration on low-income, urban, school-aged children. *Pediatrics* 2007 Sep;120(3):e678-e685.
- Wilcock J, Iliffe S, Turner S, Bryans M, O'Carroll R, Keady J, et al. Concordance with clinical practice guidelines for dementia in general practice. *Aging Ment Health* 2009 Mar;13(2):155-61.
- Wolfs CA, Dirksen CD, Kessels A, Willems DC, Verhey FR, Severens JL. Performance of the EQ-5D and the EQ-5D+C in elderly patients with cognitive impairments. *Health Qual Life Outcomes* 2007;5:33.
- Woolley RJ, Young JB, Green JR, Brooker DJ. The feasibility of care mapping to improve care for physically ill older people in hospital. *Age Ageing* 2008 Jul;37(4):390-5.
- Worden A, Challis D, Hancock G, Woods R, Orrell M. Identifying need in care homes for people with dementia: the relationship between two standard assessment tools. *Aging Ment Health* 2008 Nov;12(6):719-28.
- Wortmann M, Andrieu S, Mackell J, Knox S. Evolving attitudes to Alzheimer's disease among the general public and caregivers in Europe: findings from the IMPACT survey. *J Nutr Health Aging* 2010 Aug;14(7):531-6.
- Zuidema SU, van der Meer MM, Pennings GA, Koopmans RT. [Prevalence of behavioural problems in a group of demented nursing home patients]. *Tijdschr Gerontol Geriatr* 2006 Mar;37(1):19-24.
- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Neuropsychiatric symptoms in nursing home patients: factor structure invariance of the Dutch nursing home version of the neuropsychiatric inventory in different stages of dementia. *Dement Geriatr Cogn Disord* 2007;24(3):169-76.

- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Agitation in Dutch institutionalized patients with dementia: factor analysis of the Dutch version of the Cohen-Mansfield Agitation Inventory. *Dement Geriatr Cogn Disord* 2007;23(1):35-41.
- Zuidema SU, Derksen E, Verhey FR, Koopmans RT. Prevalence of neuropsychiatric symptoms in a large sample of Dutch nursing home patients with dementia. *Int J Geriatr Psychiatry* 2007 Jul;22(7):632-8.
- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Predictors of neuropsychiatric symptoms in nursing home patients: influence of gender and dementia severity. *Int J Geriatr Psychiatry* 2009 Oct;24(10):1079-86.
- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Environmental correlates of neuropsychiatric symptoms in nursing home patients with dementia. *Int J Geriatr Psychiatry* 2010 Jan;25(1):14-22.