

OBSERVATIONAL STUDY: DESCRIPTIVE

2014

- Giebel CM, Sutcliffe C, Stolt M, Karlsson S, Renom-Guiteras A, Soto M, Verbeek H, Zabalegui A, Challis D. Deterioration of basic activities of daily living and their impact on quality of life across different cognitive stages of dementia: a European study. *Int Psychogeriatr.* 2014 Aug;26(8):1283-93.
- Hoogendoijk EO, van Hout HP, Heymans MW, van der Horst HE, Frijters DH, Broese van Groenou MI, Deeg DJ, Huisman M. Explaining the association between educational level and frailty in older adults: results from a 13-year longitudinal study in the Netherlands. *Ann Epidemiol.* 2014 Jul;24(7):538-44.e2
- Kaduszkiewicz H, Eisele M, Wiese B, Prokein J, Luppa M, Luck T, Jessen F, Bickel H, Mösch E, Pentzek M, Fuchs A, Eifflaender-Gorfer S, Weyerer S, König HH, Brettschneider C, van den Bussche H, Maier W, Scherer M, Riedel-Heller SG; Study on Aging, Cognition, and Dementia in Primary Care Patients (AgeCoDe) Study Group. Prognosis of mild cognitive impairment in general practice: results of the German AgeCoDe study. *Ann Fam Med.* 2014 Mar-Apr;12(2):158-65.
- Klich-Rączka A, Piotrowicz K, Mossakowska M, Skalska A, Wizner B, Broczek K, Wieczorowska-Tobis K, Grodzicki T. The assessment of cognitive impairment suspected of dementia in Polish elderly people: results of the population-based PolSenior Study. *Exp Gerontol.* 2014 Jun 14;57C:233-242.
- Koller D1, Schön G, Schäfer I, Glaeske G, van den Bussche H, Hansen H. Multimorbidity and long-term care dependency-a five-year follow-up. *BMC Geriatr.* 2014 May 28;14:70. doi: 10.1186/1471-2318-14-70.
- van der Steen JT, Gijsberts MJ, Hertogh CM, Deliens L. Predictors of spiritual care provision for patients with dementia at the end of life as

perceived by physicians: a prospective study. BMC Palliat Care. 2014 Dec 19;13(1):61. doi: 10.1186/1472-684X-13-61.

2013

- Bakker C, de Vugt ME, van Vliet D, Verhey FR, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT. The relationship between unmet care needs in young-onset dementia and the course of neuropsychiatric symptoms: a two-year follow-up study. *Int Psychogeriatr.* 2013 Sep 4:1-10.
- Chiatti C, Di Rosa M, Melchiorre MG, Manzoli L, Rimland JM, Lamura G. Migrant care workers as protective factor against caregiver burden: results from a longitudinal analysis of the EUFAMCARE study in Italy. *Aging Ment Health.* 2013;17(5):609-14.
- Clare L, Whitaker CJ, Roberts JL, Nelis SM, Martyr A, Marková IS, Roth I, Woods RT, Morris RG. Memory Awareness Profiles Differentiate Mild Cognitive Impairment from Early-Stage Dementia: Evidence from Assessments of Performance Monitoring and Evaluative Judgement. *Dement Geriatr Cogn Disord.* 2013 Mar 27;35(5-6):266-279.
- Evans N, Pasman HR, Vega Alonso T, Van den Block L, Miccinesi G, Van Casteren V, Donker G, Bertolissi S, Zurriaga O, Deliens L, Onwuteaka-Philipsen B;EUROIMPACT. End-of-life decisions: a cross-national study of treatment preference discussions and surrogate decision-maker appointments. *PLoS One.* 2013;8(3):e57965. doi: 10.1371/journal.pone.0057965. Epub 2013 Mar 5.
- Liu Y, Mattila J, Ruiz MÁ, Paajanen T, Koikkalainen J, van Gils M, Herukka SK, Waldemar G, Lötjönen J, Soininen H; Alzheimer's Disease Neuroimaging Initiative. Predicting AD conversion: comparison between prodromal AD guidelines and computer assisted PredictAD tool. *PLoS One.* 2013;8(2):e55246.
- Millenaar JK, van Vliet D, Bakker C, Vernooij-Dassen MJ, Koopmans RT, Verhey FR, de Vugt ME. The experiences and needs of children living with a parent with young onset dementia: results from the NeedYD study. *Int Psychogeriatr.* 2013 Nov 14:1-10.

- Siersma V, Waldemar G, Waldorff FB. Subjective memory complaints in primary care patients and death from all causes: a four-year follow-up. *Scand J Prim Health Care.* 2013 Mar;31(1):7-12.
- van de Ven-Vakhteeva J, Bor H, Wetzels RB, Koopmans RT, Zuidema SU. The impact of antipsychotics and neuropsychiatric symptoms on the quality of life of people with dementia living in nursing homes. *Int J Geriatr Psychiatry.* 2013 May;28(5):530-8.
- van Vliet D, de Vugt ME, Bakker C, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT, Verhey FR. Time to diagnosis in young-onset dementia as compared with late-onset dementia. *Psychol Med.* 2013 Feb;43(2):423-32.
- von dem Knesebeck O, Angermeyer MC, Lüdecke D, Kofahl C. Emotional reactions toward people with dementia – results of a population survey from Germany. *Int Psychogeriatr.* 2013 Nov 22:1-7.
- Vos SJ, van Rossum IA, Verhey F, Knol DL, Soininen H, Wahlund LO, Hampel H, Tsolaki M, Minthon L, Frisoni GB, Froelich L, Nobili F, van der Flier W, Blennow K, Wolz R, Scheltens P, Visser PJ. Prediction of Alzheimer disease in subjects with amnestic and nonamnestic MCI. *Neurology.* 2013 Mar 19;80(12):1124-32.

2012

- Bakker C, de Vugt ME, van Vliet D, Verhey FR, Pijnenburg YA, Vernooy-Dassen MJ, Koopmans RT. The Use of Formal and Informal Care in Early Onset Dementia: Results From the NeedYD Study. *Am J Geriatr Psychiatry.* 2012 Apr 4.
- Bakker C, de Vugt ME, van Vliet D, Verhey FR, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT. Predictors of the Time to Institutionalization in Young- Versus Late-Onset Dementia: Results From the Needs in Young Onset Dementia (NeedYD) Study. *J Am Med Dir Assoc.* 2012 Nov 1.
- Echávarri C, Burgmans S, Uylings H, Cuesta MJ, Peralta V, Kamphorst W, Rozemuller AJ, Verhey FR. Neuropsychiatric Symptoms in Alzheimer's Disease and Vascular Dementia. *J Alzheimers Dis.* 2012 Sep 21.
- Galluzzi S, Geroldi C, Amicucci G, Bocchio-Chiavetto L, Bonetti M, Bonvicini C, Cotelli M, Ghidoni R, Paghera B, Zanetti O, Frisoni GB; Translational Outpatient Memory Clinic Working Group. Supporting evidence for using biomarkers in the diagnosis of MCI due to AD. *J Neurol.* 2012 Oct 16
- Karppinen H, Laakkonen ML, Strandberg TE, Tilvis RS, Pitkälä KH. Will-to-live and survival in a 10-year follow-up among older people. *Age Ageing.* 2012 Jul 4.
- Luck T, Luppa M, Wiese B, Maier W, van den Bussche H, Eisele M, Jessen F, Weeg D, Weyerer S, Pentzek M, Leicht H, Koehler M, Tebarth F, Olbrich J, Eifflaender-Gorfer S, Fuchs A, Koenig HH, Riedel-Heller SG; for the AgeCoDe Study Group. Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment-Results From the German Study on Ageing, Cognition, and Dementia in Primary Care Patients. *Am J Geriatr Psychiatry.* 2012 Jun 14
- Luppa M, Riedel-Heller SG, Stein J, Leicht H, König HH, van den Bussche H, Maier W, Scherer M, Bickel H, Mösch E, Werle J, Pentzek M, Fuchs A, Eisele M, Jessen F, Tebarth F, Wiese B, Weyerer S. Predictors of

Institutionalisation in Incident Dementia – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe Study). *Dement Geriatr Cogn Disord.* 2012 Jul 2;33(4):282-288.

- Simonsen AH, Mattila J, Hejl AM, Frederiksen KS, Herukka SK, Hallikainen M, van Gils M, Lötjönen J, Soininen H, Waldemar G. Application of the PredictAD software tool to predict progression in patients with mild cognitive impairment. *Dement Geriatr Cogn Disord.* 2012;34(5-6):344-50
- van de Ven-Vakhteeva J, Bor H, Wetzel RB, Koopmans RT, Zuidema SU. The impact of antipsychotics and neuropsychiatric symptoms on the quality of life of people with dementia living in nursing homes. *Int J Geriatr Psychiatry.* 2012 Aug 7.
- van Vliet D, de Vugt ME, Aalten P, Bakker C, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT, Verhey FR. Prevalence of Neuropsychiatric Symptoms in Young-Onset Compared to Late-Onset Alzheimer's Disease – Part 1: Findings of the Two-Year Longitudinal NeedYD-Study. *Dement Geriatr Cogn Disord.* 2012 Dec 3;34(5-6):319-327
- van Vliet D, de Vugt ME, Köhler S, Aalten P, Bakker C, Pijnenburg YA, Vernooij-Dassen MJ, Koopmans RT, Verhey FR. Awareness and Its Association With Affective Symptoms in Young-onset and Late-onset Alzheimer Disease: A Prospective Study. *Alzheimer Dis Assoc Disord.* 2012 Sep 18
- Yamada Y, Siersma V, Avlund K, Vasse M. Formal help services and institutionalization. *Arch Gerontol Geriatr* 2012 Mar-Apr; 54(2).

2011

- Hammar LM, Emami A, Engstrom G, Gotell E. Communicating through caregiver singing during morning care situations in dementia care. *Scand J Caring Sci* 2011 Mar;25(1):160-8.
- Hammar LM, Emami A, Gotell E, Engstrom G. The impact of caregivers' singing on expressions of emotion and resistance during morning care situations in persons with dementia: an intervention in dementia care. *J Clin Nurs* 2011 Apr;20(7-8):969-78.
- Iliffe S, McGrath T, Mitchell D. The impact of patient and public involvement in the work of the Dementias & Neurodegenerative Diseases Research Network (DeNDRoN): case studies. *Health Expect* 2011 Sep 8.
- van der Steen JT, Arcand M, Toscani F, de GT, Finetti S, Beaulieu M, et al. A Family Booklet about Comfort Care in Advanced Dementia: Three-Country Evaluation. *J Am Med Dir Assoc* 2011 Mar 18.
- van der Steen JT, Toscani F, de GT, Finetti S, Nakanishi M, Nakashima T, et al. Physicians' and nurses' perceived usefulness and acceptability of a family information booklet about comfort care in advanced dementia. *J Palliat Med* 2011 May;14(5):614-22

PREVIOUS YEARS

- Aalten P, van VE, de Vugt ME, Lousberg R, Jolles J, Verhey FR. Awareness and behavioral problems in dementia patients: a prospective study. *Int Psychogeriatr* 2006 Mar;18(1):3-17.
- Bour A, Rasquin S, Boreas A, Limburg M, Verhey F. How predictive is the MMSE for cognitive performance after stroke? *J Neurol* 2010 Apr;257(4):630-7.
- Cahill S, az-Ponce AM, Coen RF, Walsh C. The underdetection of cognitive impairment in nursing homes in the Dublin area. The need for on-going cognitive assessment. *Age Ageing* 2010 Jan;39(1):128-31.
- Canegreil-Kallen I, Rigaud AS. [Systemic family therapy in the context of Alzheimer's disease: a theoretical and practical approach]. *Psychol Neuropsychiatr Vieil* 2009 Dec;7(4):253-63.
- Eggermont LH, Gavett BE, Volkers KM, Blankevoort CG, Scherder EJ, Jefferson AL, et al. Lower-extremity function in cognitively healthy aging, mild cognitive impairment, and Alzheimer's disease. *Arch Phys Med Rehabil* 2010 Apr;91(4):584-8.
- Robinson L, Bamford C, Briel R, Spencer J, Whitty P. Improving patient-centered care for people with dementia in medical encounters: an educational intervention for old age psychiatrists. *Int Psychogeriatr* 2010 Feb;22(1):129-38.
- Sormunen S, Topo P, Eloniemi-Sulkava U, Raikkonen O, Sarvimaki A. Inappropriate treatment of people with dementia in residential and day care. *Aging Ment Health* 2007 May;11(3):246-55.
- Van den BL, Deschepper R, Bossuyt N, Drieskens K, Bauwens S, Van C, V, et al. Care for patients in the last months of life: the Belgian Sentinel Network Monitoring End-of-Life Care study. *Arch Intern Med* 2008 Sep 8;168(16):1747-54.

- Vernooij-Dassen M, Huygen, Felling A, Persoon J. Predictors of sense of competence in caregivers of demented persons patients. *Soc Sci Med.* 1996 Jul;43(1):41-9.
- Vernooij-Dassen M, Felling A, Persoon J. Predictors of change and continuity in home care for dementia patients. *Int J Geriatr Psychiatry.* 1997 Jun;12(6):671-7.