

PSYCHOSOCIAL INTERVENTIONS FOR PERSONS WITH DEMENTIA

2014

- Aguirre E, Hoare Z, Spector A, Woods RT, Orrell M. The effects of a Cognitive Stimulation Therapy [CST] programme for people with dementia on family caregivers' health. *BMC Geriatr.* 2014 Mar 14;14:31.
- Aguirre E, Spector A, Orrell M. Guidelines for adapting cognitive stimulation therapy to other cultures. *Clin Interv Aging.* 2014 Jun 26;9:1003-7.
- Anderiesen H, Scherder EJ, Goossens RH, Sonneveld MH. A systematic review – physical activity in dementia: The influence of the nursing home environment. *Appl Ergon.* 2014 Jun 23.
- Baron S, Ulstein I, Werheid K. Psychosocial interventions in Alzheimer's disease and amnesic mild cognitive impairment: evidence for gender bias in clinical trials. *Aging Ment Health.* 2014 Jul 22:1-16
- Benzinger P, Iwarsson S, Kroog A, Beische D, Lindemann U, Klenk J, Becker C. The association between the home environment and physical activity in community-dwelling older adults. *Aging Clin Exp Res.* 2014 Aug;26(4):377-85.
- Boersma P, van Weert JC, Lakerveld J, Dröes RM. The art of successful implementation of psychosocial interventions in residential dementia care: a systematic review of the literature based on the RE-AIM framework. *Int Psychogeriatr.* 2014 Aug 5:1-17.
- Boots LM, de Vugt ME, van Knippenberg RJ, Kempen GI, Verhey FR. A systematic review of Internet-based supportive interventions for caregivers of patients with dementia. *Int J Geriatr Psychiatry.* 2014 Apr;29(4):331-44.
- Bossers WJ, Scherder EJ, Boersma F, Hortobágyi T, van der Woude LH, van Heuvelen MJ. Feasibility of a combined aerobic and strength training program and its effects on cognitive and physical function in institutionalized dementia patients. A pilot study. *PLoS One.* 2014 May 20;9(5):e97577.

- Chiatti C, Rimland JM, Bonfranceschi F, Masera F, Bustacchini S, Cassetta L; Fabrizia Lattanzio on behalf of the UP-TECH research group. The UP-TECH project, an intervention to support caregivers of Alzheimer's disease patients in Italy: preliminary findings on recruitment and caregiving burden in the baseline population. *Aging Ment Health*. 2014 Sep 4:1-9.
- Cristancho-Lacroix V, Moulin F, Wrobel J, Batrancourt B, Plichart M, De Rotrou J, Cantegreil-Kallen I, Rigaud AS. **A web-based program for informal caregivers of persons with Alzheimer's disease: an iterative user-centered design.** *JMIR Res Protoc*. 2014 Sep 15;3(3):e46. doi: 10.2196/resprot.3607.
- Cooney A, Hunter A, Murphy K, Casey D, Devane D, Smyth S, Dempsey L, Murphy E, Jordan F, O'Shea E. 'Seeing me through my memories': a grounded theory study on using reminiscence with people with dementia living in long-term care. *J Clin Nurs*. 2014 Jul 12.
- Gardner B, Thuné-Boyle I, Iliffe S, Fox KR, Jefferis BJ, Hamer M, Tyler N, Wardle J. 'On Your Feet to Earn Your Seat', a habit-based intervention to reduce sedentary behaviour in older adults: study protocol for a randomized controlled trial. *Trials*. 2014 Sep 20;15:368.
- Dempsey L, Murphy K, Cooney A, Casey D, O'Shea E, Devane D, Jordan F, Hunter A. Reminiscence in dementia: a concept analysis. *Dementia (London)*. 2014 Mar 1;13(2):176-92.
- Döpp CM, Graff MJ, Teerenstra S, Olde Rikkert MG, Nijhuis-van der Sanden MW, Vernooij-Dassen MJ. Effectiveness of a training package for implementing a community-based occupational therapy program in dementia: A cluster randomized controlled trial. *Clin Rehabil*. 2014 Dec 28. pii: 0269215514564699
- Frederiksen KS1, Sobol N, Beyer N, Hasselbalch S, Waldemar G. Moderate-to-high intensity aerobic exercise in patients with mild to moderate Alzheimer's disease: a pilot study. *Int J Geriatr Psychiatry*. 2014 Apr 15.
- Hattink BJ, Meiland FJ, Overmars-Marx T, de Boer M, Ebben PW, van Blanken M, Verhaeghe S, Stalpers-Croeze I, Jedlitschka A, Flick SE, V/D Leeuw J, Karkowski I, Dröes RM. The electronic, personalizable Rosetta system for

- dementia care: exploring the user-friendliness, usefulness and impact. *Disabil Rehabil Assist Technol.* 2014 Jul 3:1-11.
- Illiffe S, Waugh A, Poole M, Bamford C, Brittain K, Chew-Graham C, Fox C, Katona C, Livingston G, Manthorpe J, Steen N, Stephens B, Hogan V, Robinson L; CAREDEM research team. The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. *Health Technol Assess.* 2014 Aug;18(52):1-148.
 - Kindell J, Sage K, Keady J, Wilkinson R. Adapting to conversation with semantic dementia: using enactment as a compensatory strategy in everyday social interaction. *Int J Lang Commun Disord.* 2013 Sep-Oct;48(5):497-507.
 - Lattanzio F, Abbatecola AM, Bevilacqua R, Chiatti C, Corsonello A, Rossi L, Bustacchini S, Bernabei R. Advanced technology care innovation for older people in Italy: necessity and opportunity to promote health and wellbeing. *J Am Med Dir Assoc.* 2014 Jul;15(7):457-66. doi: 10.1016/j.jamda.2014.04.003.
 - Marshall A, Spreadbury J, Cheston R, Coleman P, Ballinger C, Mullee M, Pritchard J, Russell C, Bartlett E. A pilot randomised controlled trial to compare changes in quality of life for participants with early diagnosis dementia who attend a 'Living Well with Dementia' group compared to waiting-list control. *Aging Ment Health.* 2014 Sep 8:1-10.
 - McDermott O, Orrell M, Ridder HM. The importance of music for people with dementia: the perspectives of people with dementia, family carers, staff and music therapists. *Aging Ment Health.* 2014;18(6):706-16.
 - Meiland FJ, Hattink BJ, Overmars-Marx T, de Boer ME, Jedlitschka A, Ebben PW, Stalpers-Croeze II, Flick S, van der Leeuw J, Karkowski IP, Dröes RM. Participation of end users in the design of assistive technology for people with mild to severe cognitive problems; the European Rosetta project. *Int Psychogeriatr.* 2014 May;26(5):769-79.

- Murphy K, Jordan F, Hunter A, Cooney A, Casey D. Articulating the strategies for maximising the inclusion of people with dementia in qualitative research studies. *Dementia (London)*. 2014 Jan 8.
- Niemeijer AR, Depla MF, Frederiks BJ, Hertogh CM. The experiences of people with dementia and intellectual disabilities with surveillance technologies in residential care. *Nurs Ethics*. 2014 Jun 9
- Novitzky P, Smeaton AF, Chen C, Irving K, Jacquemard T, O’Brocháin F, O’Mathúna D, Gordijn B. A Review of Contemporary Work on the Ethics of Ambient Assisted Living Technologies for People with Dementia. *Sci Eng Ethics*. 2014 Jun 19.
- Ohman H, Savikko N, Strandberg TE, Pitkälä KH. Effect of Physical Exercise on Cognitive Performance in Older Adults with Mild Cognitive Impairment or Dementia: A Systematic Review. *Dement Geriatr Cogn Disord*. 2014 Aug 21;38(5-6):347-365
- Orrell M, Aguirre E, Spector A, Hoare Z, Woods RT, Streater A, Donovan H, Hoe J, Knapp M, Whitaker C, Russell I. Maintenance cognitive stimulation therapy for dementia: single-blind, multicentre, pragmatic randomised controlled trial. *Br J Psychiatry*. 2014 Jun;204(6):454-61.
- Phung KT¹, Waldorff FB, Buss DV, Eckermann A, Keiding N, Rishøj S, Siersma V, Sørensen J, Søgaard R, Sørensen LV, Vogel A, Waldemar G. A three-year follow-up on the efficacy of psychosocial interventions for patients with mild dementia and their caregivers: the multicentre, rater-blinded, randomised Danish Alzheimer Intervention Study (DAISY). *BMJ Open*. 2013 Nov 21;3(11):e003584.
- Raglio A, Filippi S, Bellandi D, Stramba-Badiale M. **Global music approach to persons with dementia: evidence and practice**. *Clin Interv Aging*. 2014 Oct 6;9:1669-76. doi: 10.2147/CIA.S71388.
- Roets-Merken LM, Draskovic I, Zuidema SU, van Erp WS, Graff MJ, Kempen GI, Vernooij-Dassen MJE. Effectiveness of rehabilitation interventions in improving emotional and functional status in hearing or visually impaired older adults: a systematic review with meta-analyses. *Clin Rehabil*. 2014 Jul 15.

- Sturkenboom IH, Graff MJ, Hendriks JC, Veenhuizen Y, Munneke M, Bloem BR, der Sanden MW; OTiP study group. Efficacy of occupational therapy for patients with Parkinson's disease: a randomised controlled trial. *Lancet Neurol.* 2014 Jun;13(6):536.
- Testad I, Corbett A, Aarsland D, Lexow KO, Fossey J, Woods B, Ballard C. The value of personalized psychosocial interventions to address behavioral and psychological symptoms in people with dementia living in care home settings: a systematic review. *Int Psychogeriatr.* 2014 Jul;26(7):1083-98.
- van Haeften-van Dijk AM, van Weert JC, Dröes RM. Implementing living room theatre activities for people with dementia on nursing home wards: a process evaluation study. *Aging Ment Health.* 2014 Sep 11:1-12.
- Vankova H, Holmerova I, Machacova K, Volicer L, Veleta P, Celko AM. The effect of dance on depressive symptoms in nursing home residents. *J Am Med Dir Assoc.* 2014 Aug;15(8):582-7.
- *J Am Med Dir Assoc.* 2014 Aug;15(8):582-7. doi: 10.1016/j.jamda.2014.04.013. Epub 2014 Jun 7.
- Verbeek H, Zwakhalen SM, van Rossum E, Ambergen T, Kempen GI, Hamers JP. Effects of small-scale, home-like facilities in dementia care on residents' behavior, and use of physical restraints and psychotropic drugs: a quasi-experimental study. *Int Psychogeriatr.* 2014 Apr;26(4):657-68.
- Vink AC, Zuidersma M, Boersma F, de Jonge P, Zuidema SU, Slaets JP. Effect of music therapy versus recreational activities on neuropsychiatric symptoms in elderly adults with dementia: an exploratory randomized controlled trial. *J Am Geriatr Soc.* 2014 Feb;62(2):392-3.
- Ward R, Campbell S, Keady J. 'Once I had money in my pocket, I was every colour under the sun': using 'appearance biographies' to explore the meanings of appearance for people with dementia. *J Aging Stud.* 2014 Aug;30:64-72.
- Willemse BM, Downs M, Arnold L, Smit D, de Lange J, Pot AM. Staff-resident interactions in long-term care for people with dementia: the role of meeting

psychological needs in achieving residents' well-being. *Aging Ment Health*. 2014 Aug 13:1-9.

- Whitaker R, Fossey J, Ballard C, Orrell M, Moniz-Cook E, Woods RT, Murray J, Stafford J, Knapp M, Romeo R, Carlton BW, Testad I, Khan Z. Improving Well-being and Health for People with Dementia (WHELD): study protocol for a randomised controlled trial. *Trials*. 2014 Jul 12;15:284.
- Wu YH, Cristancho-Lacroix V, Fassert C, Faucounau V, de Rotrou J, Rigaud AS. The Attitudes and Perceptions of Older Adults With Mild Cognitive Impairment Toward an Assistive Robot. *J Appl Gerontol*. 2014 Jan 9.

2013

- Boogaard JA, van Soest-Poortvliet MC, Anema JR, Achterberg WP, Hertogh CM, de Vet HC, van der Steen JT. Feedback on end-of-life care in dementia: the study protocol of the FOLlow-up project. *BMC Palliat Care*. 2013 Aug 7;12(1):29.
- Döpp CM, Graff MJ, Rikkert MG, van der Sanden MW, Vernooij-Dassen MJ. Determinants for the effectiveness of implementing an occupational therapy intervention in routine dementia care. *Implement Sci*. 2013 Nov 7;8(1):131.
- Hindle JV, Petrelli A, Clare L, Kalbe E. Nonpharmacological enhancement of cognitive function in Parkinson's disease: A systematic review. *Mov Disord*. 2013 Feb 20. doi: 10.1002/mds.25377
- Hindle JV, Petrelli A, Clare L, Kalbe E. Nonpharmacological enhancement of cognitive function in Parkinson's disease: A systematic review. *Mov Disord*. 2013 Feb 20. doi: 10.1002/mds.25377
- Orgeta V, Qazi A, Spector AE, Orrell M. Psychological treatments for depression and anxiety in dementia and mild cognitive impairment. *Cochrane Database Syst Rev*. 2014 Jan 22;1:CD009125.
- Pieper MJ, van Dalen-Kok AH, Francke AL, van der Steen JT, Scherder EJ, Husebø BS, Achterberg WP. Interventions targeting pain or behaviour in dementia: A systematic review. *Ageing Res Rev*. 2013 Sep;12(4):1042-55.
- Pitkälä KH, Pöysti MM, Laakkonen ML, Tilvis RS, Savikko N, Kautiainen H, Strandberg TE. Effects of the Finnish Alzheimer Disease Exercise Trial (FINALEX): A Randomized Controlled Trial. *JAMA Intern Med*. 2013 Apr 15:1-8.
- Raglio A, Bellandi D, Baiardi P, Gianotti M, Ubezio MC, Granieri E. Listening to music and active music therapy in behavioral disturbances in dementia: a crossover study. *J Am Geriatr Soc*. 2013 Apr;61(4):645-7.
- Span M, Hettinga M, Vernooij-Dassen M, Eefsting J, Smits C. Involving people with dementia in the development of supportive IT applications: A systematic review. *Ageing Res Rev*. 2013 Jan 11;12(2):535-551

- Toms GR, Quinn C, Anderson DE, Clare L. Help Yourself: Perspectives on Self-Management From People With Dementia and Their Caregivers. *Qual Health Res.* 2014 Sep 5.
- van de Ven G, Draskovic I, Adang EM, Donders R, Zuidema SU, Koopmans RT, Vernooij-Dassen MJ. Effects of dementia-care mapping on residents and staff of care homes: a pragmatic cluster-randomised controlled trial. *PLoS One.* 2013 Jul 2;8(7):e67325.
- Verbeek H, Zwakhalen SM, van Rossum E, Ambergen T, Kempen GI, Hamers JP. Effects of small-scale, home-like facilities in dementia care on residents' behavior, and use of physical restraints and psychotropic drugs: a quasi-experimental study. *Int Psychogeriatr.* 2014 Apr;26(4):657-68.
- Vink AC, Zuidersma M, Boersma F, de Jonge P, Zuidema SU, Slaets JP. The effect of music therapy compared with general recreational activities in reducing agitation in people with dementia: a randomised controlled trial. *Int J Geriatr Psychiatry.* 2013 Oct;28(10):1031-8.
- Wenborn J, Challis D, Head J, Miranda-Castillo C, Popham C, Thakur R, Illes J, Orrell M. Providing activity for people with dementia in care homes: a cluster randomised controlled trial. *Int J Geriatr Psychiatry.* 2013 May 2
- Whitaker R, Ballard C, Stafford J, Orrell M, Moniz-Cook E, Woods RT, Murray J, Knapp M, Carlton BW, Fossey J. Feasibility study of an optimised person-centred intervention to improve mental health and reduce antipsychotics amongst people with dementia in care homes: study protocol for a randomised controlled trial. *Trials.* 2013 Jan 10;14:13.

2012

- Aguirre E, Hoare Z, Streater A, Spector A, Woods B, Hoe J, Orrell M. Cognitive stimulation therapy (CST) for people with dementia-who benefits most? *Int J Geriatr Psychiatry*. 2012 May 1
- Aguirre E, Woods RT, Spector A, Orrell M. Cognitive stimulation for dementia: A systematic review of the evidence of effectiveness from randomised controlled trials. *Ageing Res Rev*. 2012 Aug 7;12(1):253-262
- Bellelli G, Raglio A, Trabucchi M. Music interventions against agitated behaviour in elderly persons with dementia: a cost-effective perspective. *Int J Geriatr Psychiatry*. 2012 Mar;27(3):327
- Bunn F, Goodman C, Sworn K, Rait G, Brayne C, Robinson L, McNeilly E, Iliffe S. Psychosocial factors that shape patient and carer experiences of dementia diagnosis and treatment: a systematic review of qualitative studies. *PLoS Med*. 2012 Oct;9(10):e1001331.
- Corbett A, Smith J, Creese B, Ballard C. Treatment of behavioral and psychological symptoms of Alzheimer's disease. *Curr Treat Options Neurol*. 2012 Apr;14(2):113-25
- Cotelli M, Manenti R, Zanetti O. Reminiscence therapy in dementia: A review. *Maturitas*. 2012 Jul;72(3):203-5.
- Cotelli M, Manenti R, Zanetti O, Miniussi C. Non-pharmacological intervention for memory decline. *Front Hum Neurosci*. 2012;6:46.
- de Joode EA, van Boxtel MP, Verhey FR, van Heugten CM. Use of assistive technology in cognitive rehabilitation: Exploratory studies of the opinions and expectations of healthcare professionals and potential users. *Brain Inj*. 2012 May 9.
- Dijk, A.M. van, Weert, J.C.M. van, Dröes, R.M. Does theatre as intervention improve the quality of life of people with dementia? *International Psychogeriatrics*, 2012, Feb;24(3):367-81.

- Hall L, Orrell M, Stott J, Spector A. Cognitive stimulation therapy (CST): neuropsychological mechanisms of change. *Int Psychogeriatr*. 2012 Nov 12:1-11.
- Hutchens RL, Kinsella GJ, Ong B, Pike KE, Parsons S, Storey E, Ames D, Saling MM, Mullaly E, Rand E, Clare L. Knowledge and use of memory strategies in amnesic mild cognitive impairment. *Psychol Aging*. 2012 Sep;27(3):768-77.
- Jyväkorpi SK, Puranen T, Pitkala KH, Suominen MH. Nutritional treatment of aged individuals with Alzheimer's disease living at home with their spouses: study protocol for a randomized controlled trial. *Trials*. 2012 May 24;13(1):66.
- Joling KJ, van Marwijk HW, Smit F, van der Horst HE, Scheltens P, van de Ven PM, Mittelman MS, van Hout HP. Does a family meetings intervention prevent depression and anxiety in family caregivers of dementia patients? A randomized trial. *PLoS One*. 2012;7(1)
- Lawrence V, Fossey J, Ballard C, Moniz-Cook E, Murray J. Improving quality of life for people with dementia in care homes: making psychosocial interventions work. *Br J Psychiatry*. 2012 Nov;201:344-51.
- Leontjevas R, Gerritsen DL, Koopmans RT, Smalbrugge M, Vernooij-Dassen MJ. Process evaluation to explore internal and external validity of the "act in case of depression" care program in nursing homes. *J Am Med Dir Assoc*. 2012 Jun;13(5):488
- McDermott O, Crellin N, Ridder HM, Orrell M. Music therapy in dementia: a narrative synthesis systematic review. *Int J Geriatr Psychiatry*. 2012 Oct 18.
- Meeuwssen EJ, Melis RJ, Van Der Aa GC, Golüke-Willems GA, De Leest BJ, Van Raak FH, Schölzel-Dorenbos CJ, Verheijen DC, Verhey FR, Visser MC, Wolfs CA, Adang EM, Olde Rikkert MG. Effectiveness of dementia follow-up care by memory clinics or general practitioners: randomised controlled trial. *BMJ*. 2012 May 15
- Meiland FJ, Bouman AI, Sävenstedt S, Bentvelzen S, Davies RJ, Mulvenna MD, Nugent CD, Moelaert F, Hettinga ME, Bengtsson JE, Dröes RM. Usability of a

- new electronic assistive device for community-dwelling persons with mild dementia. *Aging Ment Health*. 2012 Jul;16(5):584-91.
- Moniz Cook ED, Swift K, James I, Malouf R, De Vugt M, Verhey F. Functional analysis-based interventions for challenging behaviour in dementia. *Cochrane Database Syst Rev*. 2012 Feb 15;2
 - Mountain GA, Craig CL (2012) What should be in a self-management programme for people with early dementia? *Aging and Mental Health*, 24 Feb 2012 (epub)
 - Muntinga MM, Hoogendijk EO, van Leeuwen KM, van Hout HP, Twisk JW, van der Horst HE, Nijpels GN, Jansen AP. Implementing the chronic care model for frail older adults in the Netherlands: study protocol of ACT (frail older Adults: Care in Transition). *BMC Geriatr*. 2012 Apr 30;12(1):19
 - Orrell M, Woods B, Spector A. Should we use individual cognitive stimulation therapy to improve cognitive function in people with dementia? *BMJ*. 2012 Feb 15;344:e633.
 - Orrell M, Yates LA, Burns A, Russell I, Woods RT, Hoare Z, Moniz-Cook E, Henderson C, Knapp M, Spector A, Orgeta V. Individual Cognitive Stimulation Therapy for dementia (iCST): study protocol for a randomized controlled trial. *Trials*. 2012 Sep 22;13(1):172.
 - Orrell M. The new generation of psychosocial interventions for dementia care. *Br J Psychiatry*. 2012 Nov;201:342-3.
 - Parker S, Clarke C, Moniz-Cook E, Gardiner E. The influence of 'cognitive busyness' on causal attributions of challenging behaviour in dementia: A preliminary experimental study. *Aging Ment Health*. 2012 Jun 7.
 - Pinquart M, Forstmeier S. Effects of reminiscence interventions on psychosocial outcomes: A meta-analysis. *Aging Ment Health*. 2012 Jul;16(5):541-58.
 - Raglio A, Bellelli G, Mazzola P, Bellandi D, Giovagnoli AR, Farina E, Stramba-Badiale M, Gentile S, Gianelli MV, Ubezio MC, Zanetti O, Trabucchi M. Music, music therapy and dementia: A review of literature and the recommendations of the Italian Psychogeriatric Association. *Maturitas*. 2012 Jun 26.

- Raglio A, Bellelli G, Trabucchi M. Commentary on the editorial “Music therapy for dementia”. *Maturitas*. 2012 Apr;71(4):413.
- Raglio A, Bellelli G, Traficante D, Gianotti M, Ubezio MC, Gentile S, Bellandi D, Villani D, Trabucchi M. Addendum to ‘Efficacy of music therapy treatment based on cycles of sessions: a randomised controlled trial’ (Raglio et al., 2010). *Aging Ment Health*. 2012;16(2):265-7.
- Raglio A, Bellandi D, Baiardi P, Gianotti M, Ubezio MC, Granieri E. Music therapy in frontal temporal dementia: a case report. *J Am Geriatr Soc*. 2012 Aug;60(8):1578-9.
- Raglio A, Oasi O, Gianotti M, Bellandi D, Manzoni V, Goulene K, Imbriani C, Badiale MS. Music therapy, emotions and the heart: a pilot study. *G Ital Med Lav Ergon*. 2012 Oct-Dec;34(4):438-43.
- Robben S, van Kempen J, Heinen M, Zuidema S, Olde Rikkert M, Schers H, Melis R. Preferences for receiving information among frail older adults and their informal caregivers: a qualitative study. *Fam Pract*. 2012 Apr 24.
- Ruikes FG, Meys AR, van de Wetering G, Akkermans RP, van Gaal BG, Zuidema SU, Schers HJ, van Achterberg T, Koopmans RT. The CareWell-primary care program: design of a cluster controlled trial and process evaluation of a complex intervention targeting community-dwelling frail elderly. *BMC Fam Pract*. 2012 Dec 5;13(1):115.
- Spector A, Orrell M, Lattimer M, Hoe J, King M, Harwood K, Qazi A, Charlesworth G. Cognitive behavioural therapy (CBT) for anxiety in people with dementia: study protocol for a randomised controlled trial. *Trials*. 2012 Oct 23;13:197.
- Spector A, Orrell M, Hall L. Systematic Review of Neuropsychological Outcomes in Dementia from Cognition-Based Psychological Interventions. *Dement Geriatr Cogn Disord*. 2012 Nov 23;34(3-4):244-255.
- Subramaniam P, Woods B. The impact of individual reminiscence therapy for people with dementia: systematic review. *Expert Rev Neurother*. 2012 May;12(5):545-55.

- Te Boekhorst S, Depla MF, Francke AL, Twisk JW, Zwijsen SA, Hertogh CM. Quality of life of nursing-home residents with dementia subject to surveillance technology versus physical restraints: an explorative study. *Int J Geriatr Psychiatry*. 2012 May 30.
- Thuné-Boyle IC, Iliffe S, Cerga-Pashoja A, Lowery D, Warner J. The effect of exercise on behavioral and psychological symptoms of dementia: towards a research agenda. *Int Psychogeriatr*. 2012 Jul;24(7):1046-57
- van Dijk AM, van Weert JC, Dröes RM. [Theatre as communication method in psychogeriatric care: effects on behaviour, mood and quality of life of people with dementia]. *Tijdschr Gerontol Geriatr*. 2012 Dec;43(6):283-95.
- van de Ven G, Draskovic I, Adang EM, Donders RA, Post A, Zuidema SU, Koopmans RT, Vernooij-Dassen MJ. Improving person-centred care in nursing homes through dementia-care mapping: design of a cluster-randomised controlled trial. *BMC Geriatr*. 2012 Jan 3;12:1.
- Van't Leven N, Graff MJ, Kaijen M, de Swart BJ, Olde Rikkert MG, Vernooij-Dassen MJ. Barriers to and facilitators for the use of an evidence-based occupational therapy guideline for older people with dementia and their carers. *Int J Geriatr Psychiatry*. 2012 Jul;27(7):742-8.
- Vink AC, Zuidersma M, Boersma F, de Jonge P, Zuidema SU, Slaets JP. The effect of music therapy compared with general recreational activities in reducing agitation in people with dementia: a randomised controlled trial. *Int J Geriatr Psychiatry*. 2012 Dec 26.
- Voigt-Radloff S, Leonhart R, Schützwahl M, Jurjanz L, Reuster T, Gerner A, Marschner K, van Nes F, Graff M, Vernooij-Dassen M, Rikkert MO, Holthoff V, Hüll M. Interview for Deterioration in Daily Living Activities in Dementia: construct and concurrent validity in patients with mild to moderate dementia. *Int Psychogeriatr*. 2012 Mar;24(3):382-90.
- Waldorff FB, Buss DV, Eckermann A, Rasmussen ML, Keiding N, Rishøj S, Siersma V, Sørensen J, Sørensen LV, Vogel A, Waldemar G. Efficacy of psychosocial intervention in patients with mild Alzheimer's disease: the

multicentre, rater blinded, randomised Danish Alzheimer Intervention Study (DAISY). *BMJ*. 2012 Jul 17;345

- Woods B, Aguirre E, Spector AE, Orrell M. Cognitive stimulation to improve cognitive functioning in people with dementia. *Cochrane Database Syst Rev*. 2012 Feb 15;2:
- Xavier AJ, d'Orsi E, de Oliveira CM, Orrell M, Demakakos P, Biddulph JP, Marmot MG.
- English Longitudinal Study of Aging: can Internet/E-mail use reduce cognitive decline? *J Gerontol A Biol Sci Med Sci*. 2014 Sep;69(9):1117-21.

2011

- Brooker DJ, Argyle E, Scally AJ, Clancy D. The Enriched Opportunities Programme for people with dementia: a cluster-randomised controlled trial in 10 extra care housing schemes. *Aging Ment Health* 2011 Jun 27.
- Caddell LS, Clare L. Interventions supporting self and identity in people with dementia: A systematic review. *Aging Ment Health* 2011 Sep;15(7):797-810.
- de RJ, Cantegreil I, Faucounau V, Wenisch E, Chausson C, Jegou D, et al. Do patients diagnosed with Alzheimer's disease benefit from a psycho-educational programme for family caregivers? A randomised controlled study. *Int J Geriatr Psychiatry* 2011 Aug;26(8):833-42.
- Dopp CM, Graff MJ, Teerenstra S, Adang E, Nijhuis-van der Sanden RW, Olderikkert MG, et al. A new combined strategy to implement a community occupational therapy intervention: designing a cluster randomized controlled trial. *BMC Geriatr* 2011;11:13.
- Forstmeier S, Maercker A, Maier W, van den BH, Riedel-Heller S, Kaduszkiewicz H, et al. Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease. *Psychol Aging* 2011 Aug 29.
- Gerritsen DL, Smalbrugge M, Teerenstra S, Leontjevas R, Adang EM, Vernooij-Dassen MJ, et al. Act In case of Depression: the evaluation of a care program to improve the detection and treatment of depression in nursing homes. Study Protocol. *BMC Psychiatry* 2011;11:91.
- Hammar LM, Emami A, Engstrom G, Gotell E. Communicating through caregiver singing during morning care situations in dementia care. *Scand J Caring Sci* 2011 Mar;25(1):160-8.
- Hammar LM, Emami A, Gotell E, Engstrom G. The impact of caregivers' singing on expressions of emotion and resistance during morning care situations in persons with dementia: an intervention in dementia care. *J Clin Nurs* 2011 Apr;20(7-8):969-78.

- Holle D, Halek M, Mayer H, Bartholomeyczik S. [The influence of understanding diagnostics on perceived stress of nurses caring for nursing home residents with dementia]. *Pflege* 2011 Oct;24(5):303-16.
- Joosten-Weyn Banningh LW, Prins JB, Vernooij-Dassen MJ, Wijnen HH, Olde Rikkert MG, Kessels RP. Group therapy for patients with mild cognitive impairment and their significant others: results of a waiting-list controlled trial. *Gerontology* 2011;57(5):444-54.
- Keady J. Commentary on Cheung DSK, Chein WT & Lai CKY (2011) Conceptual framework for cognitive function enhancement in people with dementia. *Journal of Clinical Nursing* 20, 1533-1541. *J Clin Nurs* 2011 Jul;20(13-14):2085-6.
- Kofahl C. [Self-help groups for patients with psychic disorders or addiction and their relatives]. *MMW Fortschr Med* 2011 Mar 3;153(9):29-30, 32.
- Kolanowski AM, Fick DM, Clare L, Steis M, Boustani M, Litaker M. Pilot study of a nonpharmacological intervention for delirium superimposed on dementia. *Res Gerontol Nurs* 2011 Jul;4(3):161-7.
- Kurz A, Thone-Otto A, Cramer B, Egert S, Frolich L, Gertz HJ, et al. CORDIAL: Cognitive Rehabilitation and Cognitive-behavioral Treatment for Early Dementia in Alzheimer Disease: A Multicenter, Randomized, Controlled Trial. *Alzheimer Dis Assoc Disord* 2011 Oct 6.
- Kurz AF, Leucht S, Lautenschlager NT. The clinical significance of cognition-focused interventions for cognitively impaired older adults: a systematic review of randomized controlled trials. *Int Psychogeriatr* 2011 Jul 11;1-12.
- Moniz-Cook E, Vernooij-Dassen M, Woods B, Orrell M. Psychosocial interventions in dementia care research: the INTERDEM manifesto. *Aging Ment Health* 2011 Apr;15(3):283-90.
- Perry M, Draskovic I, Lucassen P, Vernooij-Dassen M, van AT, Rikkert MO. Effects of educational interventions on primary dementia care: A systematic review. *Int J Geriatr Psychiatry* 2011 Jan;26(1):1-11.
- Pieper MJ, Achterberg WP, Francke AL, van der Steen JT, Scherder EJ, Kovach CR. The implementation of the serial trial intervention for pain and challenging

- behaviour in advanced dementia patients (STA OP!): a clustered randomized controlled trial. *BMC Geriatr* 2011;11:12.
- Pitkala KH, Routasalo P, Kautiainen H, Sintonen H, Tilvis RS. Effects of socially stimulating group intervention on lonely, older people's cognition: a randomized, controlled trial. *Am J Geriatr Psychiatry* 2011 Jul;19(7):654-63.
 - Rigaud AS, Pino M, Wu YH, de RJ, Boulay M, Seux ML, et al. [Support for patients with Alzheimer's disease and their caregivers by gerontechnology]. *Geriatr Psychol Neuropsychiatr Vieil* 2011 Mar;9(1):91-100.
 - Rosvik J, Kirkevold M, Engedal K, Brooker D, Kirkevold O. A model for using the VIPS framework for person-centred care for persons with dementia in nursing homes: a qualitative evaluative study. *Int J Older People Nurs* 2011 Sep;6(3):227-36.
 - Scherder E, Eggermont L, Visscher C, Scheltens P, Swaab D. Understanding higher level gait disturbances in mild dementia in order to improve rehabilitation: 'last in-first out'. *Neurosci Biobehav Rev* 2011 Jan;35(3):699-714.
 - Spector A, Gardner C, Orrell M. The impact of Cognitive Stimulation Therapy groups on people with dementia: views from participants, their carers and group facilitators. *Aging Ment Health* 2011 Jul 4.
 - Szymczynska P, Innes A. Evaluation of a dementia training workshop for health and social care staff in rural Scotland. *Rural Remote Health* 2011 Apr;11(2):1611.
 - Van't LN, Graff MJ, Kaijen M, de Swart BJ, Olde Rikkert MG, Vernooij-Dassen MJ. Barriers to and facilitators for the use of an evidence-based occupational therapy guideline for older people with dementia and their carers. *Int J Geriatr Psychiatry* 2011 Sep 27.
 - Vasse E, Vernooij-Dassen M, Cantegreil I, Franco M, Dorenlot P, Woods B, et al. Guidelines for psychosocial interventions in dementia care: a European survey and comparison. *Int J Geriatr Psychiatry* 2011 Mar 2.

- Volkers KM, Scherder EJ. The effect of regular walks on various health aspects in older people with dementia: protocol of a randomized-controlled trial. *BMC Geriatr* 2011;11:38.
- Waldemar G, Waldorff FB, Buss DV, Eckermann A, Keiding N, Rishoj S, et al. The Danish Alzheimer intervention study: rationale, study design and baseline characteristics of the cohort. *Neuroepidemiology* 2011;36(1):52-61.
- Wolfs CA, de Vugt ME, Verkaaik M, Haufe M, Verkade PJ, Verhey FR, et al. Rational decision-making about treatment and care in dementia: A contradiction in terms? *Patient Educ Couns* 2011 Aug 31.
- Zuidema SU, de Jonghe JF, Verhey FR, Koopmans RT. Psychotropic drug prescription in nursing home patients with dementia: influence of environmental correlates and staff distress on physicians' prescription behavior. *Int Psychogeriatr* 2011 Aug 4;1-8.
- Zwijsen SA, Depla MF, Niemeijer AR, Francke AL, Hertogh CM. Surveillance technology: An alternative to physical restraints? A qualitative study among professionals working in nursing homes for people with dementia. *Int J Nurs Stud* 2011 Sep 29.
- Zwijsen SA, Depla MF, Niemeijer AR, Francke AL, Hertogh CM. The concept of restraint in nursing home practice: a mixed-method study in nursing homes for people with dementia. *Int Psychogeriatr* 2011 Jan 6;1-9.
- Zwijsen SA, Smalbrugge M, Zuidema SU, Koopmans RT, Bosmans JE, van Tulder MW, et al. Grip on challenging behaviour: a multidisciplinary care programme for managing behavioural problems in nursing home residents with dementia. Study protocol. *BMC Health Serv Res* 2011;11:41.

PREVIOUS YEARS

- Aguirre E, Spector A, Hoe J, Russell IT, Knapp M, Woods RT, et al. Maintenance Cognitive Stimulation Therapy (CST) for dementia: a single-blind, multi-centre, randomized controlled trial of Maintenance CST vs. CST for dementia. *Trials* 2010;11:46.
- Auclair U, Epstein C, Mittelman M. Couples Counseling in Alzheimer's Disease: Additional Clinical Findings from a Novel Intervention Study. *Clin Gerontol* 2009 Apr 1;32(2):130-46.
- Baldelli MV, Pradelli JM, Zucchi P, Martini B, Orsi F, Fabbo A. Occupational therapy and dementia: the experience of an Alzheimer special care unit. *Arch Gerontol Geriatr* 2007;44 Suppl 1:49-54.
- Bartholomeyczik S, Reuther S, Luft L, van NN, Meijers J, Schols J, et al. [Prevalence of malnutrition, interventions and quality indicators in German nursing homes – first results of a nationwide pilot study]. *Gesundheitswesen* 2010 Dec;72(12):868-74.
- Biggs S, Manthorpe J, Tinker A, Doyle M, Erens B. Mistreatment of older people in the United Kingdom: findings from the first National Prevalence Study. *J Elder Abuse Negl* 2009 Jan;21(1):1-14.
- Blankevoort CG, van Heuvelen MJ, Boersma F, Luning H, de JJ, Scherder EJ. Review of effects of physical activity on strength, balance, mobility and ADL performance in elderly subjects with dementia. *Dement Geriatr Cogn Disord* 2010;30(5):392-402.
- Brooker DJ, Woolley RJ, Lee D. Enriching opportunities for people living with dementia in nursing homes: an evaluation of a multi-level activity-based model of care. *Aging Ment Health* 2007 Jul;11(4):361-70.
- Brooker DJ, Woolley RJ. Enriching opportunities for people living with dementia: the development of a blueprint for a sustainable activity-based model. *Aging Ment Health* 2007 Jul;11(4):371-83.

- Burns A, Mittelman M, Cole C, Morris J, Winter J, Page S, et al. Transcultural influences in dementia care: observations from a psychosocial intervention study. *Dement Geriatr Cogn Disord* 2010;30(5):417-23.
- Cahill S. Educational workshops and decision support software increase detection of dementia in the elderly in primary care settings. *Evid Based Ment Health* 2006 Nov;9(4):102.
- Cerga-Pashoja A, Lowery D, Bhattacharya R, Griffin M, Iliffe S, Lee J, et al. Evaluation of exercise on individuals with dementia and their carers: a randomised controlled trial. *Trials* 2010;11:53.
- Charras K, Fremontier M. Sharing meals with institutionalized people with dementia: a natural experiment. *J Gerontol Soc Work* 2010;53(5):436-48.
- Clare L, Jones RS. Errorless learning in the rehabilitation of memory impairment: a critical review. *Neuropsychol Rev* 2008 Mar;18(1):1-23.
- Clare L, Rowlands J, Bruce E, Surr C, Downs M. 'I don't do like I used to do': a grounded theory approach to conceptualising awareness in people with moderate to severe dementia living in long-term care. *Soc Sci Med* 2008 Jun;66(11):2366-77.
- Clare L, Linden DE, Woods RT, Whitaker R, Evans SJ, Parkinson CH, et al. Goal-oriented cognitive rehabilitation for people with early-stage Alzheimer disease: a single-blind randomized controlled trial of clinical efficacy. *Am J Geriatr Psychiatry* 2010 Oct;18(10):928-39.
- Clare L, Woods RT, Whitaker R, Wilson BA, Downs M. Development of an awareness-based intervention to enhance quality of life in severe dementia: trial platform. *Trials* 2010;11:73.
- Clarke CL, Gibb CE, Keady J, Luce A, Wilkinson H, Williams L, et al. Risk management dilemmas in dementia care: an organizational survey in three UK countries. *Int J Older People Nurs* 2009 Jun;4(2):89-96.
- Collet J, de Vugt ME, Verhey FR, Schols JM. Efficacy of integrated interventions combining psychiatric care and nursing home care for nursing home residents: a review of the literature. *Int J Geriatr Psychiatry* 2010 Jan;25(1):3-13.

- Degryse J, De LJ, Southgate L, Vernooij-Dassen M, Gay B, Heyrman J. An evaluation of a computer based education program for the diagnosis and management of dementia in primary care. An international study of the transcultural adaptations necessary for European dissemination. *Med Teach* 2009 May;31(5):397-402.
- Dorenlot P. [Non pharmacological interventions in dementia: a review and prospect]. *Psychol Neuropsychiatr Vieil* 2006 Jun;4(2):135-44.
- Downs M, Small N, Froggatt K. Explanatory models of dementia: links to end-of-life care. *Int J Palliat Nurs* 2006 May;12(5):209-13.
- Downs M, Turner S, Bryans M, Wilcock J, Keady J, Levin E, et al. Effectiveness of educational interventions in improving detection and management of dementia in primary care: cluster randomised controlled study. *BMJ* 2006 Mar 25;332(7543):692-6.
- Downs M, Bowers B. Caring for people with dementia. *BMJ* 2008 Feb 2;336(7638):225-6.
- Downs M, Capstick A, Baldwin PC, Surr C, Bruce E. The role of higher education in transforming the quality of dementia care: dementia studies at the University of Bradford. *Int Psychogeriatr* 2009 Apr;21 Suppl 1:S3-S15.
- Dröes, R.M., Breebaart, E., Tilburg, W. van, and G.J. Mellenbergh The effect of integrated family support versus day care only on behavior and mood of patients with dementia. *International Psychogeriatrics*, 2000, 12(1): 99-116
- Dröes, R.M., Meiland, F.J.M., Schmitz, M., Tilburg, W. van Effect of combined support for people with dementia and carers versus regular day care on behaviour and mood of persons with dementia: results from a multi-centre implementation study. *International Journal of Geriatric Psychiatry*, 2004,19: 1-12.
- Dröes, R.M., Meiland, F.J.M., Schmitz, M.J., Boerema, I., Derksen, E., Lange, J. de, Vernooij-Dassen, M.J.F.J. & Tilburg, W. van Variations in meeting centers for people with dementia and their carers: results of a multi-centre implementation study. *Archives of Geriatrics and Gerontology*, 2004, suppl. 9: 127-148.

- Dröes, R.M, Meiland, F.J.M., Doruff , S., Varodi, I., Akkermans, H., Baida, Z., Faber, E., Haaker, T., Moelaert, F., Kartseva, V. and Y.H. Tan A dynamic interactive social chart in dementia care; Attuning demand and supply in the care for persons with dementia and their carers. *Stud Health Technol Inform.* 2005;114:210-20.
- Dröes, R.M., Mierlo, L.D. van, Roest, H.G. van der, Meiland, F.J.M. Focus and effectiveness of psychosocial interventions for people with dementia in institutional care settings from the perspective of coping with the disease. *Non-pharmacological therapies in dementia*, 2010,1(2):139-161.
- Eggermont L, Swaab D, Luiten P, Scherder E. Exercise, cognition and Alzheimer's disease: more is not necessarily better. *Neurosci Biobehav Rev* 2006;30(4):562-75.
- Eggermont LH, Scherder EJ. Ambulatory but sedentary: impact on cognition and the rest-activity rhythm in nursing home residents with dementia. *J Gerontol B Psychol Sci Soc Sci* 2008 Sep;63(5):279-87.
- Eggermont LH, Knol DL, Hol EM, Swaab DF, Scherder EJ. Hand motor activity, cognition, mood, and the rest-activity rhythm in dementia: a clustered RCT. *Behav Brain Res* 2009 Jan 23;196(2):271-8.
- Eggermont LH, Swaab DF, Hol EM, Scherder EJ. Walking the line: a randomised trial on the effects of a short term walking programme on cognition in dementia. *J Neurol Neurosurg Psychiatry* 2009 Jul;80(7):802-4.
- Eggermont LH, Swaab DF, Hol EM, Scherder EJ. Observation of hand movements by older persons with dementia: effects on cognition: a pilot study. *Dement Geriatr Cogn Disord* 2009;27(4):366-74.
- Eloniemi-Sulkava U, Saarenheimo M, Laakkonen ML, Pietila M, Savikko N, Kautiainen H, et al. Family care as collaboration: effectiveness of a multicomponent support program for elderly couples with dementia. *Randomized controlled intervention study. J Am Geriatr Soc* 2009 Dec;57(12):2200-8.

- Faucounau V, Wu YH, Boulay M, de RJ, Rigaud AS. Cognitive intervention programmes on patients affected by Mild Cognitive Impairment: a promising intervention tool for MCI? *J Nutr Health Aging* 2010 Jan;14(1):31-5.
- Finnema, E.J., Dröes, R.M., Kooij, C.H. van der, Lange, J. de, Rigter, H., Montfort, A.P.W.P. van & Tilburg, W. van The design of a large-scale experimental study into the effect of emotion-oriented care on demented elderly and professional carers in nursing homes. *Archives of Gerontology and Geriatrics*, 1998, suppl. 6: 193-200.
- Finnema, E., Dröes, R.M., Ribbe, M., Tilburg, W. van The effects of emotion-oriented approaches in the care for persons suffering from dementia; a review of the literature. *International Journal of Geriatric Psychiatry*, 2000, 15(2):141-161.
- Finnema, E., Dröes, R.M, Ettema, T.P., Ooms, M.E., Adèr, H., Ribbe, M.W., Tilburg, W. van The effect of integrated emotion-oriented care versus usual care on elderly persons with dementia in the nursing home and on nursing assistants; a randomized clinical trial. *International Journal of Geriatric Psychiatry*, 2005, 20(4):330-43.
- Forstmeier S, Maercker A. Motivational reserve: lifetime motivational abilities contribute to cognitive and emotional health in old age. *Psychol Aging* 2008 Dec;23(4):886-99.
- Gotell E, Brown S, Ekman SL. The influence of caregiver singing and background music on vocally expressed emotions and moods in dementia care: a qualitative analysis. *Int J Nurs Stud* 2009 Apr;46(4):422-30.
- Graff MJ, Vernooij-Dassen MJ, Thijssen M, Dekker J, Hoefnagels WH, Rikkert MG. Community based occupational therapy for patients with dementia and their care givers: randomised controlled trial. *BMJ* 2006 Dec 9;333(7580):1196.
- Graff MJ, Vernooij-Dassen MJ, Thijssen M, Dekker J, Hoefnagels WH, Olderikkert MG. Effects of community occupational therapy on quality of life, mood, and health status in dementia patients and their caregivers: a randomized controlled trial. *J Gerontol A Biol Sci Med Sci* 2007 Sep;62(9):1002-9.

- Graff MJ, Adang EM, Vernooij-Dassen MJ, Dekker J, Jonsson L, Thijssen M, et al. Community occupational therapy for older patients with dementia and their care givers: cost effectiveness study. *BMJ* 2008 Jan 19;336(7636):134-8.
- Hammar LM, Emami A, Engstrom G, Gotell E. Reactions of persons with dementia to caregivers singing in morning care situations. *Open Nurs J* 2010;4:35-41.
- Harmer BJ, Orrell M. What is meaningful activity for people with dementia living in care homes? A comparison of the views of older people with dementia, staff and family carers. *Aging Ment Health* 2008 Sep;12(5):548-58.
- Hertogh CM. Advance care planning and the relevance of a palliative care approach in dementia. *Age Ageing* 2006 Nov;35(6):553-5.
- Hobbelen JS, Verhey FR, Bor JH, de Bie RA, Koopmans RT. Passive movement therapy in patients with moderate to severe paratonia; study protocol of a randomised clinical trial (ISRCTN43069940). *BMC Geriatr* 2007;7:30.
- Hodson R, Keady J. Mild cognitive impairment: a review and nursing implications. *Br J Nurs* 2008 Mar 27;17(6):368-73.
- Hopman-Rock, M., Staats, P.G.M., Tak, E.C.P.M. & Dröes, R.M. The effects of a psychomotor activation programme for use in groups of cognitively impaired people in homes for the elderly. *International Journal of Geriatric Psychiatry*, 1999, 14: 633-642.
- Hutchens RL, Kinsella GJ, Ong B, Pike KE, Parsons S, Storey E, Ames D, Saling MM, Mullaly E, Rand E, Clare L. Knowledge and use of memory strategies in amnesic mild cognitive impairment. *Psychol Aging*. 2012 Sep;27(3):768-77.
- Iliffe S, Wilcock J, Haworth D. Obstacles to shared care for patients with dementia: a qualitative study. *Fam Pract* 2006 Jun;23(3):353-62.
- Iliffe S, Wilcock J, Griffin M, Jain P, Thune-Boyle I, Koch T, et al. Evidence-based interventions in dementia: A pragmatic cluster-randomised trial of an educational intervention to promote earlier recognition and response to dementia in primary care (EVIDEM-ED). *Trials* 2010;11:13.

- Joosten-Weyn BL, Vernooij-Dassen M, Rikkert MO, Teunisse JP. Mild cognitive impairment: coping with an uncertain label. *Int J Geriatr Psychiatry* 2008 Feb;23(2):148-54.
- Koch T, Iliffe S. The role of primary care in the recognition of and response to dementia. *J Nutr Health Aging* 2010 Feb;14(2):107-9.
- Kofahl C. [Self-help groups for patients with psychic disorders or addiction and their relatives]. *MMW Fortschr Med* 2011 Mar 3;153(9):29-30, 32.
- Kurz A, Pohl C, Ramsenthaler M, Sorg C. Cognitive rehabilitation in patients with mild cognitive impairment. *Int J Geriatr Psychiatry* 2009 Feb;24(2):163-8.
- Lautenschlager NT, Cox K, Kurz AF. Physical activity and mild cognitive impairment and Alzheimer's disease. *Curr Neurol Neurosci Rep* 2010 Sep;10(5):352-8.
- Manthorpe J. Commentary on Josefsson K, Sonde L & Robins Wahlin T-B (2007) Violence in municipal care of older people in Sweden as perceived by registered nurses. *Journal of Clinical Nursing* 16, 900-910. *J Clin Nurs* 2008 May;17(9):1255-6.
- Meiland, F.J.M., Dröes, R.M., Lange, J. de, Vernooij-Dassen, M.J.F.J., Tilburg, W. van Predictors of effective support in meeting centers for people with dementia and their carers, *Nonpharmacological therapies in dementia*, 2010; 1(3) 251-270.
- Mittelman MS, Haley WE, Clay OJ, Roth DL. Improving caregiver well-being delays nursing home placement of patients with Alzheimer disease. *Neurology* 2006 Nov 14;67(9):1592-9.
- Mittelman MS, Brodaty H, Wallen AS, Burns A. A three-country randomized controlled trial of a psychosocial intervention for caregivers combined with pharmacological treatment for patients with Alzheimer disease: effects on caregiver depression. *Am J Geriatr Psychiatry* 2008 Nov;16(11):893-904.
- Mittelman MS. Psychosocial intervention research: challenges, strategies and measurement issues. *Aging Ment Health* 2008 Jan;12(1):1-4.

- Moniz-Cook E. Cognitive stimulation and dementia. *Aging Ment Health* 2006 May;10(3):207-10.
- Moniz-Cook E, Elston C, Gardiner E, Agar S, Silver M, Win T, et al. Can training community mental health nurses to support family carers reduce behavioural problems in dementia? An exploratory pragmatic randomised controlled trial. *Int J Geriatr Psychiatry* 2008 Feb;23(2):185-91.
- Nugent CD, Davies RJ, Donnelly MP, Hallberg J, Hariz M, Craig D, Meiland F, Moelaert F, Bengtsson JE, Savenstedt S, Mulvenna M, Dröes RM. The development of personalised cognitive prosthetics. *Conf Proc IEEE Eng Med Biol Soc.* 2008:787-90.
- Olazaran J, Reisberg B, Clare L, Cruz I, Pena-Casanova J, Del ST, et al. Nonpharmacological therapies in Alzheimer's disease: a systematic review of efficacy. *Dement Geriatr Cogn Disord* 2010;30(2):161-78.
- Perry M, Draskovic I, van AT, Borm GF, van Eijken MI, Lucassen P, et al. Can an EASYcare based dementia training programme improve diagnostic assessment and management of dementia by general practitioners and primary care nurses? The design of a randomised controlled trial. *BMC Health Serv Res* 2008;8:71.
- Perry M, Draskovic I, van AT, van EM, Lucassen P, Vernooij-Dassen M, et al. Development and validation of quality indicators for dementia diagnosis and management in a primary care setting. *J Am Geriatr Soc* 2010 Mar;58(3):557-63.
- Qazi A, Spector A, Orrell M. User, carer and staff perspectives on anxiety in dementia: a qualitative study. *J Affect Disord* 2010 Sep;125(1-3):295-300.
- Raglio A, Bellelli G, Traficante D, Gianotti M, Ubezio MC, Villani D, et al. Efficacy of music therapy in the treatment of behavioral and psychiatric symptoms of dementia. *Alzheimer Dis Assoc Disord* 2008 Apr;22(2):158-62.
- Raglio A, Gianelli MV. Music therapy for individuals with dementia: areas of interventions and research perspectives. *Curr Alzheimer Res* 2009 Jun;6(3):293-301.

- Raglio A, Bellelli G, Traficante D, Gianotti M, Ubezio MC, Gentile S, et al. Efficacy of music therapy treatment based on cycles of sessions: a randomised controlled trial. *Aging Ment Health* 2010 Nov;14(8):900-4.
- Raglio A, Oasi O, Gianotti M, Manzoni V, Bolis S, Ubezio MC, et al. Effects of music therapy on psychological symptoms and heart rate variability in patients with dementia. A pilot study. *Curr Aging Sci* 2010 Dec;3(3):242-6.
- Ramakers IH, Visser PJ, Aalten P, Maes HL, Lansdaal HG, Meijls CJ, et al. The predictive value of memory strategies for Alzheimer's disease in subjects with mild cognitive impairment. *Arch Clin Neuropsychol* 2010 Feb;25(1):71-7.
- Rigaud AS, Pino M, Wu YH, de RJ, Boulay M, Seux ML, et al. [Support for patients with Alzheimer's disease and their caregivers by gerontechnology]. *Geriatr Psychol Neuropsychiatr Vieil* 2011 Mar;9(1):91-100.
- Robinson L, Hutchings D, Corner L, Beyer F, Dickinson H, Vanoli A, et al. A systematic literature review of the effectiveness of non-pharmacological interventions to prevent wandering in dementia and evaluation of the ethical implications and acceptability of their use. *Health Technol Assess* 2006 Aug;10(26):iii, ix-iii,108.
- Robinson L, Hutchings D, Dickinson HO, Corner L, Beyer F, Finch T, et al. Effectiveness and acceptability of non-pharmacological interventions to reduce wandering in dementia: a systematic review. *Int J Geriatr Psychiatry* 2007 Jan;22(1):9-22.
- Robinson L, Brittain K, Lindsay S, Jackson D, Olivier P. Keeping In Touch Everyday (KITE) project: developing assistive technologies with people with dementia and their carers to promote independence. *Int Psychogeriatr* 2009 Jun;21(3):494-502.
- Robinson L, Bamford C, Briel R, Spencer J, Whitty P. Improving patient-centered care for people with dementia in medical encounters: an educational intervention for old age psychiatrists. *Int Psychogeriatr* 2010 Feb;22(1):129-38.
- Robinson L, Iliffe S, Brayne C, Goodman C, Rait G, Manthorpe J, et al. Primary care and dementia: 2. Long-term care at home: psychosocial interventions,

- information provision, carer support and case management. *Int J Geriatr Psychiatry* 2010 Jul;25(7):657-64.
- Roest, H.G. van der, Meiland, Haaker, T., Reitsma, E., Wils, H., Hout, H.P.J. van, Jonker, C., Dröes, R.M. Finding the service you need: Human centered design of a Digital Interactive Social Chart in DEMentia Care (DEM-DISC). *The Journal on Information Technology in Healthcare*, 2008;137:210-24.
 - Scherder EJ, Bogen T, Eggermont LH, Hamers JP, Swaab DF. The more physical inactivity, the more agitation in dementia. *Int Psychogeriatr* 2010 Dec;22(8):1203-8.
 - Smits CH, de LJ, Droes RM, Meiland F, Vernooij-Dassen M, Pot AM. Effects of combined intervention programmes for people with dementia living at home and their caregivers: a systematic review. *Int J Geriatr Psychiatry* 2007 Dec;22(12):1181-93.
 - Sorensen LV, Waldorff FB, Waldemar G. Social participation in home-living patients with mild Alzheimer's disease. *Arch Gerontol Geriatr* 2008 Nov;47(3):291-301.
 - Sorensen LV, Waldorff FB, Waldemar G. Early counselling and support for patients with mild Alzheimer's disease and their caregivers: a qualitative study on outcome. *Aging Ment Health* 2008 Jul;12(4):444-50.
 - Sormunen S, Topo P, Eloniemi-Sulkava U, Raikkonen O, Sarvimaki A. Inappropriate treatment of people with dementia in residential and day care. *Aging Ment Health* 2007 May;11(3):246-55.
 - Spector A, Orrell M, Davies S, Woods B. WITHDRAWN: Reality orientation for dementia. *Cochrane Database Syst Rev* 2000;(3):CD001119.
 - Spector A, Woods B, Orrell M. Cognitive stimulation for the treatment of Alzheimer's disease. *Expert Rev Neurother* 2008 May;8(5):751-7.
 - Spector A, Orrell M, Woods B. Cognitive Stimulation Therapy (CST): effects on different areas of cognitive function for people with dementia. *Int J Geriatr Psychiatry* 2010 Dec;25(12):1253-8.

- Spector A, Orrell M. Using a biopsychosocial model of dementia as a tool to guide clinical practice. *Int Psychogeriatr* 2010 Sep;22(6):957-65.
- Spijker A, Vernooij-Dassen M, Vasse E, Adang E, Wollersheim H, Grol R, et al. Effectiveness of nonpharmacological interventions in delaying the institutionalization of patients with dementia: a meta-analysis. *J Am Geriatr Soc* 2008 Jun;56(6):1116-28.
- Spruit-van EM, Buijck BI, Zuidema SU, Voncken FL, Geurts AC, Koopmans RT. Geriatric rehabilitation of stroke patients in nursing homes: a study protocol. *BMC Geriatr* 2010;10:15.
- Suominen MH, Kivisto SM, Pitkala KH. The effects of nutrition education on professionals' practice and on the nutrition of aged residents in dementia wards. *Eur J Clin Nutr* 2007 Oct;61(10):1226-32.
- Ulstein ID, Sandvik L, Wyller TB, Engedal K. A one-year randomized controlled psychosocial intervention study among family carers of dementia patients—effects on patients and carers. *Dement Geriatr Cogn Disord* 2007;24(6):469-75.
- Van den BL, Deschepper R, Bossuyt N, Drieskens K, Bauwens S, Van C, V, et al. Care for patients in the last months of life: the Belgian Sentinel Network Monitoring End-of-Life Care study. *Arch Intern Med* 2008 Sep 8;168(16):1747-54.
- Van der Roest HG, Meiland FJ, Haaker T, Reitsma E, Wils H, Jonker C, et al. Finding the service you need: human centered design of a Digital Interactive Social Chart in DEMentia care (DEM-DISC). *Stud Health Technol Inform* 2008;137:210-24.
- Van Mierlo LD, Van der Roest HG, Meiland FJ, Droes RM. Personalized dementia care: proven effectiveness of psychosocial interventions in subgroups. *Ageing Res Rev* 2010 Apr;9(2):163-83.
- van HJ, Kort HS, van WH, Blom MM. Environmental interventions and the design of homes for older adults with dementia: an overview. *Am J Alzheimers Dis Other Demen* 2010 May;25(3):202-32.

- Vasse E, Vernooij-Dassen M, Spijker A, Rikkert MO, Koopmans R. A systematic review of communication strategies for people with dementia in residential and nursing homes. *Int Psychogeriatr* 2010 Mar;22(2):189-200.
- Vernooij-Dassen M, Felling A, Persoon J. Predictors of change and continuity in home care for dementia patients. *Int J Geriatr Psychiatry*. 1997 Jun;12(6):671-7.
- Vernooij-Dassen M. Meaningful activities for people with dementia. *Aging Ment Health* 2007 Jul;11(4):359-60.
- Vernooij-Dassen M, Vasse E, Zuidema S, Cohen-Mansfield J, Moyle W. Psychosocial interventions for dementia patients in long-term care. *Int Psychogeriatr* 2010 Nov;22(7):1121-8.
- Voigt-Radloff S, Graff M, Leonhart R, Schornstein K, Vernooij-Dassen M, Olde-Rikkert M, et al. WHEDA study: effectiveness of occupational therapy at home for older people with dementia and their caregivers—the design of a pragmatic randomised controlled trial evaluating a Dutch programme in seven German centres. *BMC Geriatr* 2009;9:44.
- Waldorff FB, Steenstrup AP, Nielsen B, Rubak J, Bro F. Diffusion of an e-learning programme among Danish General Practitioners: a nation-wide prospective survey. *BMC Fam Pract* 2008;9:24.
- Waldorff FB, Siersma V, Nielsen B, Steenstrup AP, Bro F. The effect of reminder letters on the uptake of an e-learning programme on dementia: a randomized trial in general practice. *Fam Pract* 2009 Dec;26(6):466-71.
- Waldorff FB, Nielsen AB, Waldemar G. Self-rated health in patients with mild Alzheimer's disease: baseline data from the Danish Alzheimer Intervention Study. *Arch Gerontol Geriatr* 2010 Jan;50(1):1-5.
- Wenisch E, Cantegreil-Kallen I, de RJ, Garrigue P, Moulin F, Batouche F, et al. Cognitive stimulation intervention for elders with mild cognitive impairment compared with normal aged subjects: preliminary results. *Aging Clin Exp Res* 2007 Aug;19(4):316-22.

- Wilcock J, Iliffe S, Turner S, Bryans M, O'Carroll R, Keady J, et al. Concordance with clinical practice guidelines for dementia in general practice. *Aging Ment Health* 2009 Mar;13(2):155-61.
- Woods B, Thorgrimsen L, Spector A, Royan L, Orrell M. Improved quality of life and cognitive stimulation therapy in dementia. *Aging Ment Health* 2006 May;10(3):219-26.
- Woods RT, Bruce E, Edwards RT, Hounscome B, Keady J, Moniz-Cook ED, et al. Reminiscence groups for people with dementia and their family carers: pragmatic eight-centre randomised trial of joint reminiscence and maintenance versus usual treatment: a protocol. *Trials* 2009;10:64.
- Woolley RJ, Young JB, Green JR, Brooker DJ. The feasibility of care mapping to improve care for physically ill older people in hospital. *Age Ageing* 2008 Jul;37(4):390-5.
- Wu YH, Faucounau V, de RJ, Riguet M, Rigaud AS. [Information and communication technology interventions supporting carers of people with Alzheimer's disease: a literature review]. *Psychol Neuropsychiatr Vieil* 2009 Sep;7(3):185-92.