

## **EXPERIMENTAL STUDY**

**2014**

- Aguirre E, Hoare Z, Spector A, Woods RT, Orrell M. The effects of a Cognitive Stimulation Therapy [CST] programme for people with dementia on family caregivers' health. *BMC Geriatr.* 2014 Mar 14;14:31.
- Döpp CM, Graff MJ, Teerenstra S, Olde Rikkert MG, Nijhuis-van der Sanden MW, Vernooij-Dassen MJ. Effectiveness of a training package for implementing a community-based occupational therapy program in dementia: A cluster randomized controlled trial. *Clin Rehabil.* 2014 Dec 28. pii: 0269215514564699
- Frederiksen KS1, Sobol N, Beyer N, Hasselbalch S, Waldemar G. Moderate-to-high intensity aerobic exercise in patients with mild to moderate Alzheimer's disease: a pilot study. *Int J Geriatr Psychiatry.* 2014 Apr 15.
- Orrell M, Aguirre E, Spector A, Hoare Z, Woods RT, Streater A, Donovan H, Hoe J, Knapp M, Whitaker C, Russell I. Maintenance cognitive stimulation therapy for dementia: single-blind, multicentre, pragmatic randomised controlled trial. *Br J Psychiatry.* 2014 Jun;204(6):454-61.
- Phung KT1, Waldorff FB, Buss DV, Eckermann A, Keiding N, Rishøj S, Siersma V, Sørensen J, Søgaard R, Sørensen LV, Vogel A, Waldemar G. A three-year follow-up on the efficacy of psychosocial interventions for patients with mild dementia and their caregivers: the multicentre, rater-blinded, randomised Danish Alzheimer Intervention Study (DAISY). *BMJ Open.* 2013 Nov 21;3(11):e003584.
- Sturkenboom IH, Graff MJ, Hendriks JC, Veenhuizen Y, Munneke M, Bloem BR, der Sanden MW; OTiP study group. Efficacy of occupational therapy for patients with Parkinson's disease: a randomised controlled trial. *Lancet Neurol.* 2014 Jun;13(6):536.
- van de Ven G, Draskovic I, van Herpen E, Koopmans RT, Donders R, Zuidema SU, Adang EM, Vernooij-Dassen MJ. The economics of dementia-care mapping in nursing homes: a cluster-randomised controlled trial. *PLoS One.* 2014 Jan 28;9(1):e86662.

- van der Putten MJ, Wetzels RB, Bor H, Zuidema SU, Koopmans RT. Antipsychotic drug prescription rates among Dutch nursing homes: the influence of patient characteristics and the dementia special care unit. *Aging Ment Health*. 2014 Sep;18(7):828-32. doi: 10.1080/13607863.2014.884537.
- Verbeek H, Zwakhalen SM, van Rossum E, Ambergen T, Kempen GI, Hamers JP. Effects of small-scale, home-like facilities in dementia care on residents' behavior, and use of physical restraints and psychotropic drugs: a quasi-experimental study. *Int Psychogeriatr*. 2014 Apr;26(4):657-68.
- Vink AC, Zuidersma M, Boersma F, de Jonge P, Zuidema SU, Slaets JP. Effect of music therapy versus recreational activities on neuropsychiatric symptoms in elderly adults with dementia: an exploratory randomized controlled trial. *J Am Geriatr Soc*. 2014 Feb;62(2):392-3.
- Weerkamp NJ, Tissingh G, Poels PJ, Zuidema SU, Munneke M, Koopmans RT, Bloem BR. Diagnostic accuracy of Parkinson's disease and atypical parkinsonism in nursing homes. *Parkinsonism Relat Disord*. 2014 Nov;20(11):1157-60. doi: 10.1016/j.parkreldis.2014.07.017.

## 2013

- Banningh LW, Vernooij-Dassen MJ, Vullings M, Prins JB, Rikkert MG, Kessels RP. Learning to Live With a Loved One With Mild Cognitive Impairment: Effectiveness of a Waiting List Controlled Trial of a Group Intervention on Significant Others' Sense of Competence and Well-being. *Am J Alzheimers Dis Other Demen.* 2013 May;28(3):228-38.
- Charras K, Gzil F. Judging a book by its cover: uniforms and quality of life in special care units for people with dementia. *Am J Alzheimers Dis Other Demen.* 2013 Aug;28(5):450-8.
- Döpp CM, Graff MJ, Rikkert MG, van der Sanden MW, Vernooij-Dassen MJ. Determinants for the effectiveness of implementing an occupational therapy intervention in routine dementia care. *Implement Sci.* 2013 Nov 7;8(1):131.
- Döpp CM, Graff MJ, Teerenstra S, Nijhuis-van der Sanden MW, Olde Rikkert MG, Vernooij-Dassen MJ. Effectiveness of a multifaceted implementation strategy on physicians' referral behavior to an evidence-based psychosocial intervention in dementia: a cluster randomized controlled trial. *BMC Fam Pract.* 2013 May 30;14(1):70
- Frijters DH, van der Roest HG, Carpenter IG, Finne-Soveri H, Henrard JC, Chetrit A, Gindin J, Bernabei R. The calculation of quality indicators for long term care facilities in 8 countries (SHELTER project). *BMC Health Serv Res.* 2013 Apr 15;13:138.
- Hesper K, Tebarth F, Wiese B, Eisele M, Bickel H, Köhler M, Mösch E, Weyerer S, Werle J, König HH, Leicht H, Pentzek M, Fuchs A, Riedel-Heller SG, Lippa M, Prokein J, Scherer M, Maier W, Wagner M; Age CoDe Study Group. Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). *Psychol Med.* 2013 Aug;43(8):1597-610.
- Leontjevas R, Gerritsen DL, Smalbrugge M, Teerenstra S, Vernooij-Dassen MJ, Koopmans RT. A structural multidisciplinary approach to depression

management in nursing-home residents: a multicentre, stepped-wedge cluster-randomised trial. *Lancet*. 2013 May 1.

- Pitkälä KH, Pöysti MM, Laakkonen ML, Tilvis RS, Savikko N, Kautiainen H, Strandberg TE. Effects of the Finnish Alzheimer Disease Exercise Trial (FINALEX): A Randomized Controlled Trial. *JAMA Intern Med*. 2013 Apr 15:1-8.
- Spijker A, Teerenstra S, Wollersheim H, Adang E, Verhey F, Vernooij-Dassen M. Influence of adherence to a systematic care program for caregivers of dementia patients. *Am J Geriatr Psychiatry*. 2013 Jan;21(1):26-36.
- van de Ven G, Draskovic I, Adang EM, Donders R, Zuidema SU, Koopmans RT, Vernooij-Dassen MJ. Effects of dementia-care mapping on residents and staff of care homes: a pragmatic cluster-randomised controlled trial. *PLoS One*. 2013 Jul 2;8(7):e67325.
- van der Steen JT, Radbruch L, Hertogh CM, de Boer ME, Hughes JC, Larkin P, Francke AL, Jünger S, Gove D, Firth P, Koopmans RT, Volicer L; on behalf of the European Association for Palliative Care (EAPC). White paper defining optimal palliative care in older people with dementia: A Delphi study and recommendations from the European Association for Palliative Care.
- Wenborn J, Challis D, Head J, Miranda-Castillo C, Popham C, Thakur R, Illes J, Orrell M. Providing activity for people with dementia in care homes: a cluster randomised controlled trial. *Int J Geriatr Psychiatry*. 2013 May 2

## 2012

- Blessing A, Keil A, Gruss LF, Zöllig J, Dammann G, Martin M. Affective learning and psychophysiological reactivity in dementia patients. *Int J Alzheimers Dis.* 2012;672927.
- Clare L, Whitaker R, Woods RT, Quinn C, Jelley H, Hoare Z, Woods J, Downs M, Wilson BA. AwareCare: a pilot randomized controlled trial of an awareness-based staff training intervention to improve quality of life for residents with severe dementia in long-term care settings. *Int Psychogeriatr.* 2012 Jul 30:1-12.
- Dijk, A.M. van, Weert, J.C.M. van, Dröes, R.M. Does theatre as intervention improve the quality of life of people with dementia? *International Psychogeriatrics*, 2012, Feb;24(3):367-81.
- Galeotti F, Vanacore N, Gainotti S, Izzicupo F, Menniti-Ippolito F, Petrini C, Chiarotti F, Chattat R, Raschetti R; AdCare Study Group. How Legislation on Decisional Capacity Can Negatively Affect the Feasibility of Clinical Trials in Patients with Dementia. *Drugs Aging.* 2012 May 11
- Jacobs HI, Gronenschild EH, Evers EA, Ramakers IH, Hofman PA, Backes WH, Jolles J, Verhey FR, Van Boxtel MP. Visuospatial processing in early Alzheimer's disease: A multimodal neuroimaging study. *Cortex.* 2012 Jan 26
- Joling KJ, van Marwijk HW, Smit F, van der Horst HE, Scheltens P, van de Ven PM, Mittelman MS, van Hout HP. Does a family meetings intervention prevent depression and anxiety in family caregivers of dementia patients? A randomized trial. *PLoS One.* 2012;7(1)
- Joling KJ, van Marwijk HW, van der Horst HE, Scheltens P, van de Ven PM, Appels BA, van Hout HP. Effectiveness of family meetings for family caregivers on delaying time to nursing home placement of dementia patients: a randomized trial. *PLoS One.* 2012;7(8):e42145.
- Meeuwssen EJ, Melis RJ, Van Der Aa GC, Golüke-Willemse GA, De Leest BJ, Van Raak FH, Schölzel-Dorenbos CJ, Verheijen DC, Verhey FR, Visser MC, Wolfs CA, Adang EM, Olde Rikkert MG. Effectiveness of dementia follow-up care

by memory clinics or general practitioners: randomised controlled trial. *BMJ*. 2012 May 15

- Parker S, Clarke C, Moniz-Cook E, Gardiner E. The influence of 'cognitive busyness' on causal attributions of challenging behaviour in dementia: A preliminary experimental study. *Aging Ment Health*. 2012 Jun 7
- Ruikes FG, Meys AR, van de Wetering G, Akkermans RP, van Gaal BG, Zuidema SU, Schers HJ, van Achterberg T, Koopmans RT. The CareWell-primary care program: design of a cluster controlled trial and process evaluation of a complex intervention targeting community-dwelling frail elderly. *BMC Fam Pract*. 2012 Dec 5;13(1):115.
- Schefter M, Werheid K, Almkvist O, Lönnqvist-Akenine U, Kathmann N, Winblad B. Recognition memory for emotional faces in amnesic mild cognitive impairment: An event-related potential study. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn*. 2012 Mar 22
- van den Dungen P, Moll van Charante EP, van Marwijk HW, van der Horst HE, van de Ven PM, van Hout HP. Case-finding of dementia in general practice and effects of subsequent collaborative care; design of a cluster RCT. *BMC Public Health*. 2012 Aug 4;12:609.
- van de Ven G, Draskovic I, Adang EM, Donders RA, Post A, Zuidema SU, Koopmans RT, Vernooij-Dassen MJ. Improving person-centred care in nursing homes through dementia-care mapping: design of a cluster-randomised controlled trial. *BMC Geriatr*. 2012 Jan 3;12:1.
- van Dijk AM, van Weert JC, Dröes RM. [Theatre as communication method in psychogeriatric care: effects on behaviour, mood and quality of life of people with dementia ]. *Tijdschr Gerontol Geriatr*. 2012 Dec;43(6):283-95.
- Van Mierlo, L.D., Meiland, F.J.M., Dröes, R.M. Dementelcoach: effect of telephone coaching on carers of community dwelling people with dementia. *Int Psychogeriatr*. 2012 Feb;24(2):212-22.
- Vink AC, Zuidersma M, Boersma F, de Jonge P, Zuidema SU, Slaets JP. The effect of music therapy compared with general recreational activities in reducing

agitation in people with dementia: a randomised controlled trial. *Int J Geriatr Psychiatry*. 2012 Dec 26.

- Voigt-Radloff S, Leonhart R, Schützwohl M, Jurjanz L, Reuster T, Gerner A, Marschner K, van Nes F, Graff M, Vernooij-Dassen M, Rikkert MO, Holthoff V, Hüll M. Interview for Deterioration in Daily Living Activities in Dementia: construct and concurrent validity in patients with mild to moderate dementia. *Int Psychogeriatr*. 2012 Mar;24(3):382-90.
- Waldorff FB, Buss DV, Eckermann A, Rasmussen ML, Keiding N, Rishøj S, Siersma V, Sørensen J, Sørensen LV, Vogel A, Waldemar G. Efficacy of psychosocial intervention in patients with mild Alzheimer's disease: the multicentre, rater blinded, randomised Danish Alzheimer Intervention Study (DAISY). *BMJ*. 2012 Jul 17;345

## 2011

- Brooker DJ, Argyle E, Scally AJ, Clancy D. The Enriched Opportunities Programme for people with dementia: a cluster-randomised controlled trial in 10 extra care housing schemes. *Aging Ment Health* 2011 Jun 27.
- de RJ, Cantegreil I, Faucounau V, Wenisch E, Chausson C, Jegou D, et al. Do patients diagnosed with Alzheimer's disease benefit from a psycho-educational programme for family caregivers? A randomised controlled study. *Int J Geriatr Psychiatry* 2011 Aug;26(8):833-42.
- Dopp CM, Graff MJ, Teerenstra S, Adang E, Nijhuis-van der Sanden RW, Olderikkert MG, et al. A new combined strategy to implement a community occupational therapy intervention: designing a cluster randomized controlled trial. *BMC Geriatr* 2011;11:13.
- Dröes, R.M., Meiland, F.J.M., Schmitz, M., Tilburg, W. van An evaluation of the Meeting Centres Support Programme among persons with dementia and their carers. *Nonpharmacological Therapies in Dementia*, 2011, 2(1)19-39.
- Gaugler JE, Roth DL, Haley WE, Mittelman MS. Modeling trajectories and transitions: results from the New York University caregiver intervention. *Nurs Res* 2011 May;60(3 Suppl):S28-S37.
- Jansen AP, van Hout HP, Nijpels G, Rijmen F, Droes RM, Pot AM, et al. Effectiveness of case management among older adults with early symptoms of dementia and their primary informal caregivers: a randomized clinical trial. *Int J Nurs Stud* 2011 Aug;48(8):933-43.
- Joosten-Weyn Banningh LW, Prins JB, Vernooij-Dassen MJ, Wijnen HH, Olde Rikkert MG, Kessels RP. Group therapy for patients with mild cognitive impairment and their significant others: results of a waiting-list controlled trial. *Gerontology* 2011;57(5):444-54.
- Kamphuis PJ, Verhey FR, Olde Rikkert MG, Twisk JW, Swinkels SH, Scheltens P. Efficacy of a medical food on cognition in Alzheimer's disease: results from secondary analyses of a randomized, controlled trial. *J Nutr Health Aging* 2011;15(8):720-4.



- Kamphuis PJ, Verhey FR, Olde Rikkert MG, Twisk JW, Swinkels SH, Scheltens P. Effect of a medical food on body mass index and activities of daily living in patients with Alzheimer's disease: secondary analyses from a randomized, controlled trial. *J Nutr Health Aging* 2011;15(8):672-6.
- Kolanowski AM, Fick DM, Clare L, Steis M, Boustani M, Litaker M. Pilot study of a nonpharmacological intervention for delirium superimposed on dementia. *Res Gerontol Nurs* 2011 Jul;4(3):161-7.
- Kurz A, Thone-Otto A, Cramer B, Egert S, Frolich L, Gertz HJ, et al. CORDIAL: Cognitive Rehabilitation and Cognitive-behavioral Treatment for Early Dementia in Alzheimer Disease: A Multicenter, Randomized, Controlled Trial. *Alzheimer Dis Assoc Disord* 2011 Oct 6.
- Pieper MJ, Achterberg WP, Francke AL, van der Steen JT, Scherder EJ, Kovach CR. The implementation of the serial trial intervention for pain and challenging behaviour in advanced dementia patients (STA OP!): a clustered randomized controlled trial. *BMC Geriatr* 2011;11:12.
- Pitkala KH, Routasalo P, Kautiainen H, Sintonen H, Tilvis RS. Effects of socially stimulating group intervention on lonely, older people's cognition: a randomized, controlled trial. *Am J Geriatr Psychiatry* 2011 Jul;19(7):654-63.
- Spijker A, Wollersheim H, Teerenstra S, Graff M, Adang E, Verhey F, et al. Systematic care for caregivers of patients with dementia: a multicenter, cluster-randomized, controlled trial. *Am J Geriatr Psychiatry* 2011 Jun;19(6):521-31.
- Szymczynska P, Innes A. Evaluation of a dementia training workshop for health and social care staff in rural Scotland. *Rural Remote Health* 2011 Apr;11(2):1611.
- Volkers KM, Scherder EJ. The effect of regular walks on various health aspects in older people with dementia: protocol of a randomized-controlled trial. *BMC Geriatr* 2011;11:38.
- Waldemar G, Waldorff FB, Buss DV, Eckermann A, Keiding N, Rishoj S, et al. The Danish Alzheimer intervention study: rationale, study design and baseline characteristics of the cohort. *Neuroepidemiology* 2011;36(1):52-61.

## **PREVIOUS YEARS**

- Aguirre E, Spector A, Hoe J, Russell IT, Knapp M, Woods RT, et al. Maintenance Cognitive Stimulation Therapy (CST) for dementia: a single-blind, multi-centre, randomized controlled trial of Maintenance CST vs. CST for dementia. *Trials* 2010;11:46.
- Auclair U, Epstein C, Mittelman M. Couples Counseling in Alzheimer's Disease: Additional Clinical Findings from a Novel Intervention Study. *Clin Gerontol* 2009 Apr 1;32(2):130-46.
- Brodaty H, Mittelman M, Gibson L, Seeher K, Burns A. The effects of counseling spouse caregivers of people with Alzheimer disease taking donepezil and of country of residence on rates of admission to nursing homes and mortality. *Am J Geriatr Psychiatry* 2009 Sep;17(9):734-43.
- Burns A, Mittelman M, Cole C, Morris J, Winter J, Page S, et al. Transcultural influences in dementia care: observations from a psychosocial intervention study. *Dement Geriatr Cogn Disord* 2010;30(5):417-23.
- Cahill S. Educational workshops and decision support software increase detection of dementia in the elderly in primary care settings. *Evid Based Ment Health* 2006 Nov;9(4):102.
- Cerga-Pashoja A, Lowery D, Bhattacharya R, Griffin M, Iliffe S, Lee J, et al. Evaluation of exercise on individuals with dementia and their carers: a randomised controlled trial. *Trials* 2010;11:53.
- Charlesworth G, Shepstone L, Wilson E, Thalanany M, Mugford M, Poland F. Does befriending by trained lay workers improve psychological well-being and quality of life for carers of people with dementia, and at what cost? A randomised controlled trial. *Health Technol Assess* 2008 Mar;12(4):iii, v-iii,78.
- Charlesworth G, Shepstone L, Wilson E, Reynolds S, Mugford M, Price D, et al. Befriending carers of people with dementia: randomised controlled trial. *BMJ* 2008 Jun 7;336(7656):1295-7.
- Charras K, Fremontier M. Sharing meals with institutionalized people with dementia: a natural experiment. *J Gerontol Soc Work* 2010;53(5):436-48.

- Clare L, Linden DE, Woods RT, Whitaker R, Evans SJ, Parkinson CH, et al. Goal-oriented cognitive rehabilitation for people with early-stage Alzheimer disease: a single-blind randomized controlled trial of clinical efficacy. *Am J Geriatr Psychiatry* 2010 Oct;18(10):928-39.
- Downs M, Turner S, Bryans M, Wilcock J, Keady J, Levin E, et al. Effectiveness of educational interventions in improving detection and management of dementia in primary care: cluster randomised controlled study. *BMJ* 2006 Mar 25;332(7543):692-6.
- Drentea P, Clay OJ, Roth DL, Mittelman MS. Predictors of improvement in social support: Five-year effects of a structured intervention for caregivers of spouses with Alzheimer's disease. *Soc Sci Med* 2006 Aug;63(4):957-67.
- Dröes, R.M., Breebaart, E., Tilburg, W. van, and G.J. Mellenbergh The effect of integrated family support versus day care only on behavior and mood of patients with dementia. *International Psychogeriatrics*, 2000, 12(1): 99-116
- Dröes, R.M., Breebaart, E., Meiland, F.J.M., Tilburg, W. van, Mellenbergh, G.J. Effect of Meeting Centres Support Programme on feeling of competence of family caregivers and delay of institutionalization of people with dementia. *Aging & Mental Health*, May 2004, 8(3): 201-211.
- Dröes, R.M., Meiland, F.J.M., Schmitz, M., Tilburg, W. van Effect of combined support for people with dementia and carers versus regular day care on behaviour and mood of persons with dementia: results from a multi-centre implementation study. *International Journal of Geriatric Psychiatry*, 2004,19: 1-12.
- Druks J, Masterson J, Kopelman M, Clare L, Rose A, Rai G. Is action naming better preserved (than object naming) in Alzheimer's disease and why should we ask? *Brain Lang* 2006 Sep;98(3):332-40.
- Eggermont LH, Swaab DF, Hol EM, Scherder EJ. Walking the line: a randomised trial on the effects of a short term walking programme on cognition in dementia. *J Neurol Neurosurg Psychiatry* 2009 Jul;80(7):802-4.

- Eggermont LH, Blankevoort CG, Scherder EJ. Walking and night-time restlessness in mild-to-moderate dementia: a randomized controlled trial. *Age Ageing* 2010 Nov;39(6):746-9.
- Eloniemi-Sulkava U, Saarenheimo M, Laakkonen ML, Pietila M, Savikko N, Kautiainen H, et al. Family care as collaboration: effectiveness of a multicomponent support program for elderly couples with dementia. *Randomized controlled intervention study. J Am Geriatr Soc* 2009 Dec;57(12):2200-8.
- Finnema, E.J., Dröes, R.M., Kooij, C.H. van der, Lange, J. de, Rigter, H., Montfort, A.P.W.P. van & Tilburg, W. van The design of a large-scale experimental study into the effect of emotion-oriented care on demented elderly and professional carers in nursing homes. *Archives of Gerontology and Geriatrics*, 1998, suppl. 6: 193-200.
- Finnema, E., Lange, J. de, Dröes, R.M., Ribbe, M. & Tilburg, W. van The quality of nursing home care: do the opinions of family members change after implementation of emotion-oriented care? *Journal of Advanced Nursing*, 2001, 35(5):728-740.
- Finnema, E., Dröes, R.M, Ettema, T.P., Ooms, M.E., Adèr, H., Ribbe, M.W., Tilburg, W. van The effect of integrated emotion-oriented care versus usual care on elderly persons with dementia in the nursing home and on nursing assistants; a randomized clinical trial. *International Journal of Geriatric Psychiatry*, 2005, 20(4):330-43.
- Gaugler JE, Roth DL, Haley WE, Mittelman MS. Can counseling and support reduce burden and depressive symptoms in caregivers of people with Alzheimer's disease during the transition to institutionalization? Results from the New York University caregiver intervention study. *J Am Geriatr Soc* 2008 Mar;56(3):421-8.
- Graff MJ, Vernooij-Dassen MJ, Thijssen M, Dekker J, Hoefnagels WH, Rikkert MG. Community based occupational therapy for patients with dementia and their care givers: randomised controlled trial. *BMJ* 2006 Dec 9;333(7580):1196.

- Graff MJ, Vernooij-Dassen MJ, Thijssen M, Dekker J, Hoefnagels WH, Olderikkert MG. Effects of community occupational therapy on quality of life, mood, and health status in dementia patients and their caregivers: a randomized controlled trial. *J Gerontol A Biol Sci Med Sci* 2007 Sep;62(9):1002-9.
- Haley WE, Bergman EJ, Roth DL, McVie T, Gaugler JE, Mittelman MS. Long-term effects of bereavement and caregiver intervention on dementia caregiver depressive symptoms. *Gerontologist* 2008 Dec;48(6):732-40.
- Hobbelen JS, Verhey FR, Bor JH, de Bie RA, Koopmans RT. Passive movement therapy in patients with moderate to severe paratonia; study protocol of a randomised clinical trial (ISRCTN43069940). *BMC Geriatr* 2007;7:30.
- Hopman-Rock, M., Staats, P.G.M., Tak, E.C.P.M. & Dröes, R.M. The effects of a psychomotor activation programme for use in groups of cognitively impaired people in homes for the elderly. *International Journal of Geriatric Psychiatry*, 1999, 14: 633-642.
- Iliffe S, Wilcock J, Griffin M, Jain P, Thune-Boyle I, Koch T, et al. Evidence-based interventions in dementia: A pragmatic cluster-randomised trial of an educational intervention to promote earlier recognition and response to dementia in primary care (EVIDEM-ED). *Trials* 2010;11:13.
- Joling KJ, van Hout HP, Scheltens P, Vernooij-Dassen M, van den BB, Bosmans J, et al. (Cost)-effectiveness of family meetings on indicated prevention of anxiety and depressive symptoms and disorders of primary family caregivers of patients with dementia: design of a randomized controlled trial. *BMC Geriatr* 2008;8:2.
- Kurz A, Pohl C, Ramsenthaler M, Sorg C. Cognitive rehabilitation in patients with mild cognitive impairment. *Int J Geriatr Psychiatry* 2009 Feb;24(2):163-8.
- Kurz A, Wagenpfeil S, Hallauer J, Schneider-Schelte H, Jansen S. Evaluation of a brief educational program for dementia carers: the AENEAS study. *Int J Geriatr Psychiatry* 2010 Aug;25(8):861-9.
- Martin-Carrasco M, Martin MF, Valero CP, Millan PR, Garcia CI, Montalban SR, et al. Effectiveness of a psychoeducational intervention program in the reduction

- of caregiver burden in Alzheimer's disease patients' caregivers. *Int J Geriatr Psychiatry* 2009 May;24(5):489-99.
- McCarney R, Warner J, Iliffe S, van HR, Griffin M, Fisher P. The Hawthorne Effect: a randomised, controlled trial. *BMC Med Res Methodol* 2007;7:30.
  - Mittelman MS, Haley WE, Clay OJ, Roth DL. Improving caregiver well-being delays nursing home placement of patients with Alzheimer disease. *Neurology* 2006 Nov 14;67(9):1592-9.
  - Mittelman MS, Roth DL, Clay OJ, Haley WE. Preserving health of Alzheimer caregivers: impact of a spouse caregiver intervention. *Am J Geriatr Psychiatry* 2007 Sep;15(9):780-9.
  - Mittelman MS, Brodaty H, Wallen AS, Burns A. A three-country randomized controlled trial of a psychosocial intervention for caregivers combined with pharmacological treatment for patients with Alzheimer disease: effects on caregiver depression. *Am J Geriatr Psychiatry* 2008 Nov;16(11):893-904.
  - Moniz-Cook E, Elston C, Gardiner E, Agar S, Silver M, Win T, et al. Can training community mental health nurses to support family carers reduce behavioural problems in dementia? An exploratory pragmatic randomised controlled trial. *Int J Geriatr Psychiatry* 2008 Feb;23(2):185-91.
  - Orrell M, Hancock G, Hoe J, Woods B, Livingston G, Challis D. A cluster randomised controlled trial to reduce the unmet needs of people with dementia living in residential care. *Int J Geriatr Psychiatry* 2007 Nov;22(11):1127-34.
  - Perry M, Draskovic I, van AT, Borm GF, van Eijken MI, Lucassen P, et al. Can an EASYcare based dementia training programme improve diagnostic assessment and management of dementia by general practitioners and primary care nurses? The design of a randomised controlled trial. *BMC Health Serv Res* 2008;8:71.
  - Raglio A, Bellelli G, Traficante D, Gianotti M, Ubezio MC, Villani D, et al. Efficacy of music therapy in the treatment of behavioral and psychiatric symptoms of dementia. *Alzheimer Dis Assoc Disord* 2008 Apr;22(2):158-62.

- Raglio A, Bellelli G, Traficante D, Gianotti M, Ubezio MC, Gentile S, et al. Efficacy of music therapy treatment based on cycles of sessions: a randomised controlled trial. *Aging Ment Health* 2010 Nov;14(8):900-4.
- Raglio A, Oasi O, Gianotti M, Manzoni V, Bolis S, Ubezio MC, et al. Effects of music therapy on psychological symptoms and heart rate variability in patients with dementia. A pilot study. *Curr Aging Sci* 2010 Dec;3(3):242-6.
- Scheltens P, Kamphuis PJ, Verhey FR, Olde Rikkert MG, Wurtman RJ, Wilkinson D, et al. Efficacy of a medical food in mild Alzheimer's disease: A randomized, controlled trial. *Alzheimers Dement* 2010 Jan;6(1):1-10.
- Spector A, Orrell M, Woods B. Cognitive Stimulation Therapy (CST): effects on different areas of cognitive function for people with dementia. *Int J Geriatr Psychiatry* 2010 Dec;25(12):1253-8.
- Spijker A, Verhey F, Graff M, Grol R, Adang E, Wollersheim H, et al. Systematic care for caregivers of people with dementia in the ambulatory mental health service: designing a multicentre, cluster, randomized, controlled trial. *BMC Geriatr* 2009;9:21.
- Szychowski JM, Roth DL, Clay OJ, Mittelman MS. Patient death as a censoring event or competing risk event in models of nursing home placement. *Stat Med* 2010 Feb 10;29(3):371-81.
- Ulstein ID, Sandvik L, Wyller TB, Engedal K. A one-year randomized controlled psychosocial intervention study among family carers of dementia patients—effects on patients and carers. *Dement Geriatr Cogn Disord* 2007;24(6):469-75.
- Vernooij-Dassen M, Lamers C, Bor J, Felling A, Grol R. Prognostic factors of effectiveness of a support program for caregivers of dementia patients. *Int J Aging Hum Dev.* 2000;51(4):259-74.
- Voigt-Radloff S, Graff M, Leonhart R, Schornstein K, Vernooij-Dassen M, Olde-Rikkert M, et al. WHEDA study: effectiveness of occupational therapy at home for older people with dementia and their caregivers—the design of a pragmatic randomised controlled trial evaluating a Dutch programme in seven German centres. *BMC Geriatr* 2009;9:44.

- Waldorff FB, Siersma V, Nielsen B, Steenstrup AP, Bro F. The effect of reminder letters on the uptake of an e-learning programme on dementia: a randomized trial in general practice. *Fam Pract* 2009 Dec;26(6):466-71.
- Wenisch E, Cantegreil-Kallen I, de RJ, Garrigue P, Moulin F, Batouche F, et al. Cognitive stimulation intervention for elders with mild cognitive impairment compared with normal aged subjects: preliminary results. *Aging Clin Exp Res* 2007 Aug;19(4):316-22.
- Wolfs CA, Kessels A, Dirksen CD, Severens JL, Verhey FR. Integrated multidisciplinary diagnostic approach for dementia care: randomised controlled trial. *Br J Psychiatry* 2008 Apr;192(4):300-5.
- Wolfs CA, Dirksen CD, Kessels A, Severens JL, Verhey FR. Economic evaluation of an integrated diagnostic approach for psychogeriatric patients: results of a randomized controlled trial. *Arch Gen Psychiatry* 2009 Mar;66(3):313-23.
- Woods B, Thorgrimsen L, Spector A, Royan L, Orrell M. Improved quality of life and cognitive stimulation therapy in dementia. *Aging Ment Health* 2006 May;10(3):219-26.
- Woods RT, Bruce E, Edwards RT, Hounsome B, Keady J, Moniz-Cook ED, et al. Reminiscence groups for people with dementia and their family carers: pragmatic eight-centre randomised trial of joint reminiscence and maintenance versus usual treatment: a protocol. *Trials* 2009;10:64.